

Cikkszám	Műszaki leírás	Dunapiac nettó ár
DS1-HD-SR-010-JV	Light grids H=100mm - range 4m - standard res. - analogue/1 pnp - M12 5p	140 051 HUF
DS1-HD-SR-015-JV	Light grids H=150mm - range 4m - standard res. - analogue/1 pnp - M12 5p	162 938 HUF
DS1-HD-SR-030-JV	Light grids H=300mm - range 4m - standard res. - analogue/1 pnp - M12 5p	224 333 HUF
DS1-LD-HR-010-JV	Light grids H=100mm - range 2m - high res. - analogue/1 pnp - M12 5p	152 909 HUF
DS1-LD-HR-015-JV	Light grids H=150mm - range 2m - high res. - analogue/1 pnp - M12 5p	182 899 HUF
DS1-LD-SR-010-JV	Light grids H=100mm - range 2m - standard res. - analogue/1 pnp - M12 5p	140 051 HUF
DS1-LD-SR-010-PV	Light grids H=100mm - range 2m - high res. trimmer - analogue/1 pnp - M12 5p	140 051 HUF
DS1-LD-SR-015-JV	Light grids H=150mm - range 2m - standard res. - analogue/1 pnp - M12 5p	162 938 HUF
DS1-LD-SR-015-PV	Light grids H=150mm - range 2m - high res. trimmer - analogue/1 pnp - M12 5p	162 938 HUF
DS1-LD-SR-030-JV	Light grids H=300mm - range 2m - standard res. - analogue/1 pnp - M12 5p	224 333 HUF
DS1-LD-SR-030-PV	Light grids H=300mm - range 2m - high res. trimmer - analogue/1 pnp - M12 5p	224 333 HUF
DS1-SD-HR-010-JV	Light grids H=100mm - range 0,8m - high res. - analogue/1 pnp - M12 5p	152 909 HUF
DS1-SD-HR-015-JV	Light grids H=150mm - range 0,8m - high res. - analogue/1 pnp - M12 5p	182 899 HUF
DS1-SD-SR-010-JV	Light grids H=100mm - range 0,8m - standard res. - analogue/1 pnp - M12 5p	140 051 HUF
DS1-SD-SR-015-JV	Light grids H=150mm - range 0,8m - standard res. - analogue/1 pnp - M12 5p	162 938 HUF
DS1-SD-SR-030-JV	Light grids H=300mm - range 0,8m - standard res. - analogue/1 pnp - M12 5p	224 333 HUF
DS2-05-07-015-JV	Light grids H=150mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	237 383 HUF
DS2-05-07-030-JV	Light grids H=300mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	303 343 HUF
DS2-05-07-045-JV	Light grids H=450mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	369 270 HUF
DS2-05-07-060-JE	Light grids H=600mm - range 5m - beam sep. 7mm - Ethernet/analogue /1 pnp - M12 4p / M12 8p	521 729 HUF
DS2-05-07-060-JV	Light grids H=600mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	448 377 HUF
DS2-05-07-075-JE	Light grids H=750mm - range 5m - beam sep. 7mm - Ethernet/analogue /1 pnp - M12 4p / M12 8p	582 192 HUF
DS2-05-07-075-JV	Light grids H=750mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	514 368 HUF
DS2-05-07-090-JE	Light grids H=900mm - range 5m - beam sep. 7mm - Ethernet/analogue /1 pnp - M12 4p / M12 8p	652 877 HUF
DS2-05-07-090-JV	Light grids H=900mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	580 263 HUF
DS2-05-07-105-JV	Light grids H=1050mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	648 859 HUF
DS2-05-07-120-JE	Light grids H=1200mm - range 5m - beam sep. 7mm - Ethernet/analogue /1 pnp - M12 4p / M12 8p	807 779 HUF
DS2-05-07-120-JV	Light grids H=1200mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	725 362 HUF
DS2-05-07-135-JV	Light grids H=1350mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	812 375 HUF
DS2-05-07-150-JE	Light grids H=1500mm - range 5m - beam sep. 7mm - Ethernet/analogue /1 pnp - M12 4p / M12 8p	938 155 HUF
DS2-05-07-150-JV	Light grids H=1500mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	867 759 HUF
DS2-05-07-165-JE	Light grids H=1650mm - range 5m - beam sep. 7mm - Ethernet/analogue /1 pnp - M12 4p / M12 8p	1 010 897 HUF
DS2-05-07-165-JV	Light grids H=1650mm - range 5m - beam sep. 7mm - RS485/analogue /1 pnp - M12 4p / M12 8p	939 023 HUF
DS2-05-25-045-JV	Light grids H=450mm - range 10m - beam sep. 25mm - RS485/analogue /1 pnp - M12 4p / M12 8p	332 337 HUF
DS2-05-25-060-JV	Light grids H=600mm - range 10m - beam sep. 25mm - RS485/analogue /1 pnp - M12 4p / M12 8p	403 536 HUF
DS2-05-25-075-JV	Light grids H=750mm - range 10m - beam sep. 25mm - RS485/analogue /1 pnp - M12 4p / M12 8p	461 588 HUF
DS2-05-25-090-JV	Light grids H=900mm - range 10m - beam sep. 25mm - RS485/analogue /1 pnp - M12 4p / M12 8p	527 515 HUF
DS3-LD-015	Light grids H=150mm - range 1,5m - beam sep. 6mm - analogue /1 pnp - M12 4p / M12 8p	256 863 HUF
DS3-LD-030	Light grids H=300mm - range 1,5m - beam sep. 6mm - analogue /1 pnp - M12 4p / M12 8p	336 805 HUF
DS3-LD-045	Light grids H=450mm - range 1,5m - beam sep. 6mm - analogue /1 pnp - M12 4p / M12 8p	412 793 HUF
DS3-LD-060	Light grids H=600mm - range 1,5m - beam sep. 6mm - analogue /1 pnp - M12 4p / M12 8p	496 657 HUF
DS3-SD-015	Light grids H=150mm - range 0,6m - beam sep. 6mm - analogue /1 pnp - M12 4p / M12 8p	242 430 HUF
DS3-SD-030	Light grids H=300mm - range 0,6 - beam sep. 6mm - analogue /1 pnp - M12 4p / M12 8p	322 372 HUF
DS3-SD-045	Light grids H=450mm - range 0,6 - beam sep. 6mm - analogue /1 pnp - M12 4p / M12 8p	398 361 HUF
DS3-SD-060	Light grids H=600mm - range 0,6 - beam sep. 6mm - analogue /1 pnp - M12 4p / M12 8p	482 256 HUF
S80-MH-5-Y09-NNIZ	Proximity 4m - analogue/RS485/2 pnp - display - M12 8p	266 538 HUF
S80-MH-5-Y09-PPIZ	Proximity 4m - analogue/RS485/2 npn - display - M12 8p	266 538 HUF
S80-MH-5-Y19-NNIZ	Proximity 7m - analogue/RS485/2 pnp - display - M12 8p	283 671 HUF
S80-MH-5-Y19-PPIZ	Proximity 7m - analogue/RS485/2 npn - display - M12 8p	283 671 HUF
S80-MH-5-Y29-NNIZ	Reflex 20m - analogue/RS485/2 pnp - display - M12 8p	300 482 HUF
S80-MH-5-Y29-PPIZ	Reflex 20m - analogue/RS485/2 npn - display - M12 8p	300 482 HUF
S80-MH-5-YL09-NNIZ	Reflex 100m - analogue/RS485/2 pnp - display - M12 8p	275 763 HUF
S80-MH-5-YL09-PPIZ	Reflex 100m - analogue/RS485/2 npn - display - M12 8p	275 763 HUF
R80-DISTANCE	S80 distance sensor reflector	15 365 HUF
S81-PL-5-M03-NNC	Proximity 4m - 2 npn alarm - M12 5p	149 920 HUF
S81-PL-5-M03-PPC	Proximity 4m - 2 pnp alarm - M12 5p	149 920 HUF
S81-PL-5-Y03-NNV	Proximity 4m - 0-10V analogue 2 npn - M12 5p	162 424 HUF
S81-PL-5-Y03-PPV	Proximity 4m - 0-10V analogue 2 pnp - M12 5p	162 424 HUF
S81-PL-5-Y03-PPVK	Proximity 4m - 0-10V analogue scalable - M12 5p	162 424 HUF
S85-MH-5-Y03-OOI	Proximity 10m - 4-20 mA analogue - whith out display - M12 5p	148 280 HUF
S85-MH-5-Y03-OOV	Proximity 10m - 0-10V analogue - whith out display - M12 5p	148 280 HUF
S85-MH-5-Y13-OOIVY	Proximity 20m - analogue/RS485 - whith display - M12 8p	181 228 HUF
S85-MH-5-Y13-OOY	Proximity 20m - RS485 - whith display - M12 8p	172 967 HUF
ST-S85-STD	S85 Fixing Bracket	6 590 HUF
US18-PA-5-N03-IH	Ultrasonic M18 axial - 4-20 mA analogue - M12	95 757 HUF
US18-PA-5-N03-OH	Ultrasonic M18 axial - PNP/NPN- M12	71 167 HUF
US18-PA-5-N03-VH	Ultrasonic M18 axial - 0-10V analogue - M12	95 757 HUF
US18-PR-5-N03-IH	Ultrasonic M18 radial - 4-20 mA analogue - M12	95 757 HUF
US18-PR-5-N03-OH	Ultrasonic M18 radial - PNP/NPN- M12	71 167 HUF

US18-PR-5-N03-VH	Ultrasonic M18 radially - 0-10V analogue - M12	95 757 HUF
US18-PL-5-N03-NH	Ultrasonic square right angle mounting - NPN - M12	36 258 HUF
US18-PL-5-N03-PH	Ultrasonic square right angle mounting - PNP - M12	36 258 HUF
US30-PR-5-N13-IH	Ultrasonic M30 radial 1000mm - 4-20 mA analogue - M12	104 468 HUF
US30-PR-5-N13-OH	Ultrasonic M30 radial 1000mm- PNP/NPN- M12	87 014 HUF
US30-PR-5-N13-VH	Ultrasonic M30 radially 1000mm - 0-10V analogue - M12	104 468 HUF
US30-PR-5-N23-IH	Ultrasonic M30 radial 2000mm - 4-20 mA analogue - M12	107 972 HUF
US30-PR-5-N23-OH	Ultrasonic M30 radial 2000mm- PNP/NPN- M12	90 485 HUF
US30-PR-5-N23-VH	Ultrasonic M30 radially 2000mm - 0-10V analogue - M12	107 972 HUF
US50-PR-5-N43-IVH	Ultrasonic radial 8000mm - analogue output - M12	175 185 HUF
US50-PR-5-N43-OH	Ultrasonic radial 8000mm - PNP/NPN - M13	162 070 HUF
ST-30MM	US50 stainless steel bracket	1 543 HUF
ST-30SC	US50 assy bracket	6 268 HUF
ENC41-S06-0100-C15	Incremental 41mm - shaft 6mm -100PPr - cable	33 623 HUF
ENC41-S06-0360-C15	Incremental 41mm - shaft 6mm -360PPr - cable	33 623 HUF
ENC41-S06-0500-C15	Incremental 41mm - shaft 6mm -500PPr - cable	33 623 HUF
ENC41-S06-1000-C15	Incremental 41mm - shaft 6mm -1000PPr - cable	35 583 HUF
ENC41-S06-1024-C15	Incremental 41mm - shaft 6mm -1024PPr - cable	35 583 HUF
ENC41-S06-2048-C15	Incremental 41mm - shaft 6mm -2048PPr - cable	35 583 HUF
ENC41-S06-4096-C15	Incremental 41mm - shaft 6mm -4096PPr - cable	37 576 HUF
ENC41-H06-0100-C15	Incremental 41mm - blind hollow 6mm -100PPr - cable	37 223 HUF
ENC41-H06-0360-C15	Incremental 41mm - blind hollow 6mm -360PPr - cable	37 223 HUF
ENC41-H06-0500-C15	Incremental 41mm - blind hollow 6mm -500PPr - cable	37 223 HUF
ENC41-H06-1000-C15	Incremental 41mm - blind hollow 6mm -1000PPr - cable	39 537 HUF
ENC41-H06-1024-C15	Incremental 41mm - blind hollow 6mm -1024PPr - cable	39 537 HUF
ENC41-H06-2048-C15	Incremental 41mm - blind hollow 6mm -2048PPr - cable	39 537 HUF
ENC41-H06-4096-C15	Incremental 41mm - blind hollow 6mm -4096PPr - cable	41 530 HUF
ENC58-S06-0500-C15	Incremental 58mm - shaft 6mm -500PPr - cable	49 437 HUF
ENC58-S06-1000-C15	Incremental 58mm - shaft 6mm -1000PPr - cable	49 437 HUF
ENC58-S06-1024-C15	Incremental 58mm - shaft 6mm -1024PPr - cable	49 437 HUF
ENC58-S06-2000-C15	Incremental 58mm - shaft 6mm -2000PPr - cable	51 077 HUF
ENC58-S06-2048-C15	Incremental 58mm - shaft 6mm -2048PPr - cable	51 077 HUF
ENC58-S06-2500-C15	Incremental 58mm - shaft 6mm -2500PPr - cable	51 077 HUF
ENC58-S06-5000-C15	Incremental 58mm - shaft 6mm -5000PPr - cable	61 299 HUF
ENC58-S06-10000-C15	Incremental 58mm - shaft 6mm -10000PPr - cable	113 661 HUF
ENC58-S06-0500-M23	Incremental 58mm - shaft 6mm -500PPr - M23	49 437 HUF
ENC58-S06-1000-M23	Incremental 58mm - shaft 6mm -1000PPr - M23	49 437 HUF
ENC58-S06-1024-M23	Incremental 58mm - shaft 6mm -1024PPr - M23	49 437 HUF
ENC58-S06-2000-M23	Incremental 58mm - shaft 6mm -2000PPr - M23	51 077 HUF
ENC58-S06-2048-M23	Incremental 58mm - shaft 6mm -2048PPr - M23	51 077 HUF
ENC58-S06-2500-M23	Incremental 58mm - shaft 6mm -2500PPr - M23	51 077 HUF
ENC58-S06-5000-M23	Incremental 58mm - shaft 6mm -5000PPr - M23	61 299 HUF
ENC58-S06-10000-M23	Incremental 58mm - shaft 6mm -10000PPr - M23	113 661 HUF
ENC58-S10-0500-C15	Incremental 58mm - shaft 10mm -500PPr - cable	49 437 HUF
ENC58-S10-1000-C15	Incremental 58mm - shaft 10mm -1000PPr - cable	49 437 HUF
ENC58-S10-1024-C15	Incremental 58mm - shaft 10mm -1024PPr - cable	49 437 HUF
ENC58-S10-2000-C15	Incremental 58mm - shaft 10mm -2000PPr - cable	51 077 HUF
ENC58-S10-2048-C15	Incremental 58mm - shaft 10mm -2048PPr - cable	51 077 HUF
ENC58-S10-2500-C15	Incremental 58mm - shaft 10mm -2500PPr - cable	51 077 HUF
ENC58-S10-5000-C15	Incremental 58mm - shaft 10mm -5000PPr - cable	61 299 HUF
ENC58-S10-10000-C15	Incremental 58mm - shaft 10mm -10000PPr - cable	113 661 HUF
ENC58-S10-0500-M23	Incremental 58mm - shaft 10mm -500PPr - M23	49 437 HUF
ENC58-S10-1000-M23	Incremental 58mm - shaft 10mm -1000PPr - M23	49 437 HUF
ENC58-S10-1024-M23	Incremental 58mm - shaft 10mm -1024PPr - M23	49 437 HUF
ENC58-S10-2000-M23	Incremental 58mm - shaft 10mm -2000PPr - M23	51 077 HUF
ENC58-S10-2048-M23	Incremental 58mm - shaft 10mm -2048PPr - M23	51 077 HUF
ENC58-S10-2500-M23	Incremental 58mm - shaft 10mm -2500PPr - M23	51 077 HUF
ENC58-S10-5000-M23	Incremental 58mm - shaft 10mm -5000PPr - M23	61 299 HUF
ENC58-S10-10000-M23	Incremental 58mm - shaft 10mm -10000PPr - M23	113 661 HUF
ENC58-S10-0500-M12	Incremental 58mm - shaft 10mm -500PPr - M12	49 437 HUF
ENC58-S10-1000-M12	Incremental 58mm - shaft 10mm -1000PPr - M12	49 437 HUF
ENC58-S10-1024-M12	Incremental 58mm - shaft 10mm -1024PPr - M12	49 437 HUF
ENC58-S10-2000-M12	Incremental 58mm - shaft 10mm -2000PPr - M12	51 077 HUF
ENC58-S10-2048-M12	Incremental 58mm - shaft 10mm -2048PPr - M12	51 077 HUF
ENC58-S10-2500-M12	Incremental 58mm - shaft 10mm -2500PPr - M12	51 077 HUF
ENC58-S10-5000-M12	Incremental 58mm - shaft 10mm -5000PPr - M12	61 299 HUF
ENC58-S10-10000-M12	Incremental 58mm - shaft 10mm -10000PPr - M12	113 661 HUF
ENC58-H14-0500-C15	Incremental 58mm - blind hollow 14mm -500PPr - cable	51 077 HUF
ENC58-H14-1000-C15	Incremental 58mm - blind hollow 14mm -1000PPr - cable	51 077 HUF
ENC58-H14-1024-C15	Incremental 58mm - blind hollow 14mm -1024PPr - cable	51 077 HUF
ENC58-H14-2000-C15	Incremental 58mm - blind hollow 14mm -2000PPr - cable	52 395 HUF
ENC58-H14-2048-C15	Incremental 58mm - blind hollow 14mm -2048PPr - cable	52 395 HUF
ENC58-H14-2500-C15	Incremental 58mm - blind hollow 14mm -2500PPr - cable	52 395 HUF
ENC58-H14-5000-C15	Incremental 58mm - blind hollow 14mm -5000PPr - cable	62 938 HUF
ENC58-H14-10000-C15	Incremental 58mm - blind hollow 14mm -10000PPr - cable	116 651 HUF
ENC58-H14-0500-M23	Incremental 58mm - blind hollow 14mm -500PPr - M23	51 077 HUF

ENC58-H14-1000-M23	Incremental 58mm - blind hollow 14mm -1000PPr - M23	51 077 HUF
ENC58-H14-1024-M23	Incremental 58mm - blind hollow 14mm -1024PPr - M23	51 077 HUF
ENC58-H14-2000-M23	Incremental 58mm - blind hollow 14mm -2000PPr - M23	52 395 HUF
ENC58-H14-2048-M23	Incremental 58mm - blind hollow 14mm -2048PPr - M23	52 395 HUF
ENC58-H14-2500-M23	Incremental 58mm - blind hollow 14mm -2500PPr - M23	52 395 HUF
ENC58-H14-5000-M23	Incremental 58mm - blind hollow 14mm -5000PPr - M23	62 938 HUF
ENC58-H14-10000-M23	Incremental 58mm - blind hollow 14mm -10000PPr - M23	116 651 HUF
ENC58-H14-0500-M12	Incremental 58mm - blind hollow 14mm -500PPr - M12	51 077 HUF
ENC58-H14-1000-M12	Incremental 58mm - blind hollow 14mm -1000PPr - M12	51 077 HUF
ENC58-H14-1024-M12	Incremental 58mm - blind hollow 14mm -1024PPr - M12	51 077 HUF
ENC58-H14-2000-M12	Incremental 58mm - blind hollow 14mm -2000PPr - M12	52 395 HUF
ENC58-H14-2048-M12	Incremental 58mm - blind hollow 14mm -2048PPr - M12	52 395 HUF
ENC58-H14-2500-M12	Incremental 58mm - blind hollow 14mm -2500PPr - M12	52 395 HUF
ENC58-H14-5000-M12	Incremental 58mm - blind hollow 14mm -5000PPr - M12	62 938 HUF
ENC58-H14-10000-M12	Incremental 58mm - blind hollow 14mm -10000PPr - M12	116 651 HUF
ENC58-H15-0500-C15	Incremental 58mm - blind hollow 15mm -500PPr - cable	51 077 HUF
ENC58-H15-1000-C15	Incremental 58mm - blind hollow 15mm -1000PPr - cable	51 077 HUF
ENC58-H15-1024-C15	Incremental 58mm - blind hollow 15mm -1024PPr - cable	51 077 HUF
ENC58-H15-2000-C15	Incremental 58mm - blind hollow 15mm -2000PPr - cable	52 395 HUF
ENC58-H15-2048-C15	Incremental 58mm - blind hollow 15mm -2048PPr - cable	52 395 HUF
ENC58-H15-2500-C15	Incremental 58mm - blind hollow 15mm -2500PPr - cable	52 395 HUF
ENC58-H15-5000-C15	Incremental 58mm - blind hollow 15mm -5000PPr - cable	62 938 HUF
ENC58-H15-10000-C15	Incremental 58mm - blind hollow 15mm -10000PPr - cable	116 651 HUF
ENC58-H15-0500-M23	Incremental 58mm - blind hollow 15mm -500PPr - M23	51 077 HUF
ENC58-H15-1000-M23	Incremental 58mm - blind hollow 15mm -1000PPr - M23	51 077 HUF
ENC58-H15-1024-M23	Incremental 58mm - blind hollow 15mm -1024PPr - M23	51 077 HUF
ENC58-H15-2000-M23	Incremental 58mm - blind hollow 15mm -2000PPr - M23	52 395 HUF
ENC58-H15-2048-M23	Incremental 58mm - blind hollow 15mm -2048PPr - M23	52 395 HUF
ENC58-H15-2500-M23	Incremental 58mm - blind hollow 15mm -2500PPr - M23	52 395 HUF
ENC58-H15-5000-M23	Incremental 58mm - blind hollow 15mm -5000PPr - M23	62 938 HUF
ENC58-H15-10000-M23	Incremental 58mm - blind hollow 15mm -10000PPr - M23	116 651 HUF
ENC58-H15-0500-M12	Incremental 58mm - blind hollow 15mm -500PPr - M12	51 077 HUF
ENC58-H15-1000-M12	Incremental 58mm - blind hollow 15mm -1000PPr - M12	51 077 HUF
ENC58-H15-1024-M12	Incremental 58mm - blind hollow 15mm -1024PPr - M12	51 077 HUF
ENC58-H15-2000-M12	Incremental 58mm - blind hollow 15mm -2000PPr - M12	52 395 HUF
ENC58-H15-2048-M12	Incremental 58mm - blind hollow 15mm -2048PPr - M12	52 395 HUF
ENC58-H15-2500-M12	Incremental 58mm - blind hollow 15mm -2500PPr - M12	52 395 HUF
ENC58-H15-5000-M12	Incremental 58mm - blind hollow 15mm -5000PPr - M12	62 938 HUF
ENC58-H15-10000-M12	Incremental 58mm - blind hollow 15mm -10000PPr - M12	116 651 HUF
IEP58-PROG-TOOL	Incremental programmable kit USB - cable	69 206 HUF
CN-M23-PROG CABLE	IEP58 programmable cable - M23	13 179 HUF
CN-M12-PROG CABLE	IEP58 programmable cable - M12	13 179 HUF
IEP58-S06-PROG-C15	Incremental 58mm - shaft 6mm -16384PPr Prog - cable	92 253 HUF
IEP58-S06-PROG-M12	Incremental 58mm - shaft 6mm -16384PPr Prog - M12	92 253 HUF
IEP58-S06-PROG-M23	Incremental 58mm - shaft 6mm -16384PPr Prog - M23	92 253 HUF
IEP58-S08-PROG-C15	Incremental 58mm - shaft 8mm -16384PPr Prog - cable	92 253 HUF
IEP58-S08-PROG-M12	Incremental 58mm - shaft 8mm -16384PPr Prog - M12	92 253 HUF
IEP58-S08-PROG-M23	Incremental 58mm - shaft 8mm -16384PPr Prog - M23	92 253 HUF
IEP58-S10-PROG-C15	Incremental 58mm - shaft 10mm -16384PPr Prog - cable	92 253 HUF
IEP58-S10-PROG-M12	Incremental 58mm - shaft 10mm -16384PPr Prog - M12	92 253 HUF
IEP58-S10-PROG-M23	Incremental 58mm - shaft 10mm -16384PPr Prog - M23	92 253 HUF
IEP58-H14-PROG-C15	Incremental 58mm - blind hollow 14mm -16384PPr Prog - cable	92 253 HUF
IEP58-H14-PROG-M12	Incremental 58mm - blind hollow 14mm -16384PPr Prog - M12	92 253 HUF
IEP58-H14-PROG-M23	Incremental 58mm - blind hollow 14mm -16384PPr Prog - M23	92 253 HUF
IEP58-H15-PROG-C15	Incremental 58mm - blind hollow 15mm -16384PPr Prog - cable	92 253 HUF
IEP58-H15-PROG-M12	Incremental 58mm - blind hollow 15mm -16384PPr Prog - M12	92 253 HUF
IEP58-H15-PROG-M23	Incremental 58mm - blind hollow 15mm -16384PPr Prog - M23	92 253 HUF
ENC58-S10-PROG-M23	Incremental 58mm - shaft 10mm -65536PPr Prog - M23	123 562 HUF
ENC58-H14-PROG-M23	Incremental 58mm - blind hollow 14mm -65536PPr Prog - M23	123 562 HUF
ENC58-H15-PROG-M23	Incremental 58mm - blind hollow 15mm -65536PPr Prog - M23	123 562 HUF
OEK-4	Incremental measuring wheel - 250PPr - mechanical spring integrated	148 280 HUF
MW-200-D6	Metric wheel with circumference 200 mm	15 172 HUF
MW-500-D10	Metric wheel with circumference 500 mm	20 444 HUF
MW-500-SPRING	Metric wheel support with springs	67 213 HUF
AST58-S06-13x01-M12	Absolute singleturn - shaft 6mm -SSI 13 bit - M12	129 155 HUF
AST58-S06-13x01-M23	Absolute singleturn - shaft 6mm -SSI 13 bit - M23	129 155 HUF
AST58-S06-13x01-C15	Absolute singleturn - shaft 6mm -SSI 13 bit - cable	129 155 HUF
AST58-S10-13x01-M12	Absolute singleturn - shaft 10mm -SSI 13 bit - M12	129 155 HUF
AST58-S10-13x01-M23	Absolute singleturn - shaft 10mm -SSI 13 bit - M23	129 155 HUF
AST58-S10-13x01-C15	Absolute singleturn - shaft 10mm -SSI 13 bit - cable	129 155 HUF
AST58-H15-13x01-M12	Absolute singleturn - blind hollow 15mm -SSI 13 bit - M12	129 155 HUF
AST58-H15-13x01-M23	Absolute singleturn - blind hollow 15mm -SSI 13 bit - M23	129 155 HUF
AST58-H15-13x01-C15	Absolute singleturn - blind hollow 15mm -SSI 13 bit - cable	129 155 HUF
AMT58-S06-13x12-C15	Absolute multiturn - shaft 6mm -SSI 25 bit - cable	208 229 HUF
AMT58-S06-13x12-M12	Absolute multiturn - shaft 6mm -SSI 25 bit - M12	208 229 HUF
AMT58-S06-13x12-M23	Absolute multiturn - shaft 6mm -SSI 25 bit - M23	208 229 HUF

AMT58-S10-13x12-M12	Absolute multiturn - shaft 10mm -SSI 25 bit - M12	208 229 HUF
AMT58-S10-13x12-M23	Absolute multiturn - shaft 10mm -SSI 25 bit - M23	208 229 HUF
AMT58-S10-13x12-C15	Absolute multiturn - shaft 10mm -SSI 25 bit - cable	208 229 HUF
AMT58-H15-13x12-M12	Absolute multiturn - blind hollow 15mm -SSI 25 bit - M12	208 229 HUF
AMT58-H15-13x12-M23	Absolute multiturn - blind hollow 15mm -SSI 25 bit - M23	208 229 HUF
AMT58-H15-13x12-C15	Absolute multiturn - blind hollow 15mm -SSI 25 bit - cable	208 229 HUF
AMT58-S06-16x14-FBUS	Absolute multiturn - shaft 6mm -30 bit - fieldbus	171 649 HUF
AMT58-S10-16x14-FBUS	Absolute multiturn - shaft 10mm -30 bit - fieldbus	171 649 HUF
AMT58-H15-16x14-FBUS	Absolute multiturn - blind hollow 15mm -30 bit - fieldbus	171 649 HUF
AMT58-FBUS-PB	Adapter for fieldbus encoder - ProfiBus	101 800 HUF
AMT58-FBUS-CB	Adapter for fieldbus encoder - CanOpen	83 028 HUF
AMT58-FBUS-DN	Adapter for fieldbus encoder - DeviceNet	83 028 HUF
AMT58-S10-13x12-PB	Absolute multiturn - shaft 10mm -25 bit - ProfiBus	233 944 HUF
AMT58-H15-13x12-PB	Absolute multiturn - blind hollow 15mm -25 bit - ProfiBus	233 944 HUF
AMT58-S10-13x12-CB	Absolute multiturn - shaft 10mm -25 bit - CanOpen	227 355 HUF
AMT58-H15-13x12-CB	Absolute multiturn - blind hollow 15mm -25 bit - CanBus	227 355 HUF
AMT58-S10-13x12-DN	Absolute multiturn - shaft 10mm -25 bit - DeviceNet	227 355 HUF
AMT58-H15-13x12-DN	Absolute multiturn - blind hollow 15mm -25 bit - DeviceNet	227 355 HUF
AMT58-S10-13x14-PN	Absolute multiturn - shaft 10mm -27 bit - ProfiNet	255 673 HUF
AMT58-H15-13x14-PN	Absolute multiturn - blind hollow 15mm -27 bit - ProfiNet	255 673 HUF
AMT58-S10-13x14-EC	Absolute multiturn - shaft 10mm -27 bit - EtherCat	255 673 HUF
AMT58-H15-13x14-EC	Absolute multiturn - blind hollow 15mm -27 bit - EtherCat	255 673 HUF
CN-M12-5P-5M-CB/DN-I	M12 5-p axial 5m ConOpen / DeviceNet in	14 176 HUF
CN-M12-PBUS-KIT	Kit connector for ProfiBus	16 490 HUF
CN-M12-4P-5M-BUS-PS	M12 4-p axial 5m ProfiBus power	6 590 HUF
CN-M12-5P-5M-PBUS-I	M12 5-p axial 5m ProfiBus in	19 769 HUF
CN-M12-5P-5M-PBUS-O	M12 5-p axial 5m ProfiBus out	19 769 HUF
CN-M12-4P-5M-EC/PN-RJ	M12 4-p axial 5m ProfiNet / EtherCat RJ	16 490 HUF
CN-M12-4P-5M-EC/PN-IO	M12 4-p axial 5m ProfiNet / EtherCat in - out	11 861 HUF
CN-M12-4P-00-EC/PN-IO	M12 4-p axial pg ProfiNet / EtherCat in - out	7 907 HUF
CN-M12-08P-05	M12 8-p axial 5m	15 493 HUF
CN-M12-08P-10	M12 8-p axial 10m	19 447 HUF
CN-M12-08P-00	M12 8-p axial pg	14 818 HUF
CN-M12-12P-05	M12 12-p axial 5m	20 765 HUF
CN-M12-12P-10	M12 12-p axial 10m	27 033 HUF
CN-M12-12P-00	M12 12-p axial pg	23 079 HUF
CN-M12-5P-5M-CB/DN-O	M12 CAN/DNET OUT CABLE	16 490 HUF
CN-M12-CB/DN-KIT	M12 CAN/DNET CONNECTOR KIT	9 547 HUF
CN-M23-12P-05	M23 12-p axial 5m - for incremental encoder	24 044 HUF
CN-M23-12P-10	M23 12-p axial 10m - for incremental encoder	28 994 HUF
CN-M23-12P-00	M23 12-p axial pg- for incremental encoder	6 590 HUF
CN-M23A-12P-05	M23 12-p axial 5m - for absolute encoder	25 040 HUF
CN-M23A-12P-10	M23 12-p axial 10m - for absolute encoder	30 312 HUF
CN-M23A-12P-00	M23 12-p axial pg- for absolute encoder	7 586 HUF
AMT58-MNTG-KIT	AMT58 MOUNTING KIT	3 311 HUF
FAC06-06	Flexible Aluminium coupling Ø6 mm	8 229 HUF
FAC10-10	Flexible Aluminium coupling Ø10 mm	8 229 HUF
FBC06-06	Flexible standard plastic coupling Ø6 mm	7 265 HUF
FBC10-10	Flexible standard plastic coupling Ø10 mm	7 265 HUF
RS15-06	Reducing sleeve Ø15 - 6 mm	4 629 HUF
RS15-08	Reducing sleeve Ø15 - 8 mm	4 629 HUF
RS15-10	Reducing sleeve Ø15 - 10 mm	2 957 HUF
RS15-11	Reducing sleeve Ø15 - 11 mm	5 272 HUF
RS15-12	Reducing sleeve Ø15 - 12 mm	3 311 HUF
RS15-3/8	Reducing sleeve Ø15 - 3/8"	5 272 HUF
ST-58-KIT	Ø58 Encoder fixing clamps (3 kits)	3 311 HUF
ST-58-BELL	Ø58 Encoder mounting bell	16 490 HUF
ST-58-BRKT	Ø58 Encoder mounting L-bracket	9 547 HUF
ST-58-FLNG	Ø58 Encoder mounting square flange	8 904 HUF
DWA-5000	Draw wire for absolute encoder	171 328 HUF
DWI-5000	Draw wire for incremental encoder	152 234 HUF
DataVS2-06-DE-OBJ	DataVS2-06-DE-OBJ 6mm lens, ethernet conn.	333 976 HUF
DataVS2-08-DE-OBJ	DataVS2-08-DE-OBJ 8mm lens, ethernet conn.	333 976 HUF
DataVS2-12-DE-OBJ	DataVS2-12-DE-OBJ 12mm lens, ethernet conn.	333 976 HUF
DataVS2-16-DE-OBJ	DataVS2-16-DE-OBJ 16mm lens, ethernet conn.	333 976 HUF
DataVS2-06-DE-AOR	DataVS2-06-DE-AOR 6mm lens, ethernet conn., adv. object recognition	421 729 HUF
DataVS2-08-DE-AOR	DataVS2-08-DE-AOR 8mm lens, ethernet conn., adv. object recognition	421 729 HUF
DataVS2-12-DE-AOR	DataVS2-12-DE-AOR 12mm lens, ethernet conn., adv. object recognition	421 729 HUF
DataVS2-16-DE-AOR	DataVS2-16-DE-AOR 16mm lens, ethernet conn., adv. object recognition	421 729 HUF
DataVS2-06-RE-ID	DataVS2-06-RE-ID 6mm lens, ethernet & RS232, identification	333 976 HUF
DataVS2-08-RE-ID	DataVS2-08-RE-ID 8mm lens, ethernet & RS232, identification	333 976 HUF
DataVS2-12-RE-ID	DataVS2-12-RE-ID 12mm lens, ethernet & RS232, identification	333 976 HUF
DataVS2-16-RE-ID	DataVS2-16-RE-ID 16mm lens, ethernet & RS232, identification	333 976 HUF
DataVS2-06-RE-PRO	DataVS2-06-RE-PRO 6mm lens, ethernet & RS232, professional	504 661 HUF
DataVS2-08-RE-PRO	DataVS2-08-RE-PRO 8mm lens, ethernet & RS232, professional	504 661 HUF
DataVS2-12-RE-PRO	DataVS2-12-RE-PRO 12mm lens, ethernet & RS232, professional	504 661 HUF

DataVS2-16-RE-PRO	DataVS2-16-RE-PRO 16mm lens, ethernet & RS232, professional	504 661 HUF
DATAVS2-06-DE-AOR-I	DATAVS2-06-DE-AOR-I 6mm lens, ethernet conn., adv. object recognition, IR illuminator	463 838 HUF
DATAVS2-08-DE-AOR-I	DATAVS2-08-DE-AOR-I 8mm lens, ethernet conn., adv. object recognition, IR illuminator	463 838 HUF
DATAVS2-12-DE-AOR-I	DATAVS2-12-DE-AOR-I 12mm lens, ethernet conn., adv. object recognition, IR illuminator	463 838 HUF
DATAVS2-16-DE-AOR-I	DATAVS2-16-DE-AOR-I 16mm lens, ethernet conn., adv. object recognition, IR illuminator	463 838 HUF
DATAVS2-06-RE-PRO-I	DATAVS2-06-RE-PRO-I 6mm lens, ethernet & RS232, professional, IR illuminator	555 127 HUF
DATAVS2-08-RE-PRO-I	DATAVS2-08-RE-PRO-I 8mm lens, ethernet & RS232, professional, IR illuminator	555 127 HUF
DATAVS2-12-RE-PRO-I	DATAVS2-12-RE-PRO-I 12mm lens, ethernet & RS232, professional, IR illuminator	555 127 HUF
DATAVS2-16-RE-PRO-I	DATAVS2-16-RE-PRO-I 16mm lens, ethernet & RS232, professional, IR illuminator	555 127 HUF
DataVS2-VSM	DataVS2-VSM VSM monitor for DataVS2	271 938 HUF
CV-A1-36-B-03	Cable, PWR & I/O, DataVS, CV-A1-36-B-03 8 pin shielded cable 3 Meter	12 215 HUF
CV-A1-36-B-05	Cable, PWR & I/O, DataVS, CV-A1-36-B-05 8 pin shielded cable 5 Meter	11 893 HUF
CV-A1-36-B-10	Cable, PWR & I/O, DataVS, CV-A1-36-B-10 8 pin shielded cable 10 Meter	16 715 HUF
DataVS-CV-RJ45C-03	Cable, Ethernet, DataVS2, DataVS-CV-RJ45C-03 ethernet cable 3m crossed	13 500 HUF
DataVS-CV-RJ45D-03	Cable, Ethernet, DataVS2, DataVS-CV-RJ45D-03 ethernet cable 3m straight	13 500 HUF
CV-A1-32-B-03	Cable, PWR, VSM, CV-A1-32-B-03 M12 4pin shielded cable 3 Meter	5 464 HUF
CV-A1-32-B-05	Cable, PWR, VSM, CV-A1-32-B-05 M12 4pin shielded cable 5 Meter	6 750 HUF
DataVS-CV-VSM-02	Cable, DataVS-CV-VSM-02 connection cable 2 Meter	11 572 HUF
DataVS-CV-VSM-04	Cable, DataVS-CV-VSM-04 connection cable 4 Meter	13 500 HUF
DATAVS-ST-5068	DATAVS-ST-5068 L-shaped mounting bracket for 90° mounting	6 107 HUF
DATAVS-ST-5066	DATAVS-ST-5066 U-shaped mounting bracket for angle adjustment	6 107 HUF
DataVS-MK-01	DataVS-MK-01 mounting kit	16 715 HUF
DataVS2 Enclosure	Enclosure, DataVS2 Vision Sensor, Stainles Steel Enclosure, Acrylic Viewport, Sealed	385 728 HUF
SE2-35-015-PP-W	SE2 safety light curtain type 2 res=35mm h=150mm muting	381 595 HUF
SE2-35-030-PP-W	SE2 safety light curtain type 2 res=35mm h=300mm muting	468 843 HUF
SE2-35-045-PP-W	SE2 safety light curtain type 2 res=35mm h=450mm muting	545 070 HUF
SE2-35-060-PP-W	SE2 safety light curtain type 2 res=35mm h=600mm muting	610 277 HUF
SE2-35-075-PP-W	SE2 safety light curtain type 2 res=35mm h=750mm muting	708 546 HUF
SE2-35-090-PP-W	SE2 safety light curtain type 2 res=35mm h=900mm muting	817 376 HUF
SE2-35-105-PP-W	SE2 safety light curtain type 2 res=35mm h=1050mm muting	904 624 HUF
SE2-35-120-PP-W	SE2 safety light curtain type 2 res=35mm h=1200mm muting	991 872 HUF
SE2-35-135-PP-W	SE2 safety light curtain type 2 res=35mm h=1350mm muting	1 111 723 HUF
SE2-35-150-PP-W	SE2 safety light curtain type 2 res=35mm h=1500mm muting	1 198 971 HUF
SE2-35-165-PP-W	SE2 safety light curtain type 2 res=35mm h=1650mm muting	1 308 261 HUF
SE2-P2-050-PP-W	SE2 safety light curtain type 2 2 beams h=500mm muting	383 891 HUF
SE2-P3-080-PP-W	SE2 safety light curtain type 2 3 beams h=800mm muting	499 150 HUF
SE2-P4-090-PP-W	SE2 safety light curtain type 2 4 beams h=900mm muting	557 010 HUF
SE2-P4-120-PP-W	SE2 safety light curtain type 2 4 beams h=1200mm muting	614 410 HUF
SE4-14-015-PP-W	SE4 safety light curtain type 4 res=14mm h=150mm muting	512 008 HUF
SE4-14-030-PP-W	SE4 safety light curtain type 4 res=14mm h=300mm muting	723 699 HUF
SE4-14-045-PP-W	SE4 safety light curtain type 4 res=14mm h=450mm muting	934 931 HUF
SE4-14-060-PP-W	SE4 safety light curtain type 4 res=14mm h=600mm muting	1 146 622 HUF
SE4-14-075-PP-W	SE4 safety light curtain type 4 res=14mm h=750mm muting	1 335 813 HUF
SE4-14-090-PP-W	SE4 safety light curtain type 4 res=14mm h=900mm muting	1 592 046 HUF
SE4-30-015-PP-W	SE4 safety light curtain type 4 res=30mm h=150mm muting	468 843 HUF
SE4-30-030-PP-W	SE4 safety light curtain type 4 res=30mm h=300mm muting	590 990 HUF
SE4-30-045-PP-W	SE4 safety light curtain type 4 res=30mm h=450mm muting	704 413 HUF
SE4-30-060-PP-W	SE4 safety light curtain type 4 res=30mm h=600mm muting	821 509 HUF
SE4-30-075-PP-W	SE4 safety light curtain type 4 res=30mm h=750mm muting	915 645 HUF
SE4-30-090-PP-W	SE4 safety light curtain type 4 res=30mm h=900mm muting	985 902 HUF
SE4-30-105-PP-W	SE4 safety light curtain type 4 res=30mm h=1050mm muting	1 032 741 HUF
SE4-30-120-PP-W	SE4 safety light curtain type 4 res=30mm h=1200mm muting	1 150 296 HUF
SE4-30-135-PP-W	SE4 safety light curtain type 4 res=30mm h=1350mm muting	1 291 270 HUF
SE4-30-150-PP-W	SE4 safety light curtain type 4 res=30mm h=1500mm muting	1 408 366 HUF
SE4-30-165-PP-W	SE4 safety light curtain type 4 res=30mm h=1650mm muting	1 525 462 HUF
SE4-35-015-PP-W	SE4 safety light curtain type 4 res=35mm h=150mm muting	458 741 HUF
SE4-35-030-PP-W	SE4 safety light curtain type 4 res=35mm h=300mm muting	554 714 HUF
SE4-35-045-PP-W	SE4 safety light curtain type 4 res=35mm h=450mm muting	640 125 HUF
SE4-35-060-PP-W	SE4 safety light curtain type 4 res=35mm h=600mm muting	746 659 HUF
SE4-35-075-PP-W	SE4 safety light curtain type 4 res=35mm h=750mm muting	832 070 HUF
SE4-35-090-PP-W	SE4 safety light curtain type 4 res=35mm h=900mm muting	896 358 HUF
SE4-35-105-PP-W	SE4 safety light curtain type 4 res=35mm h=1050mm muting	939 064 HUF
SE4-35-120-PP-W	SE4 safety light curtain type 4 res=35mm h=1200mm muting	1 045 598 HUF
SE4-35-135-PP-W	SE4 safety light curtain type 4 res=35mm h=1350mm muting	1 173 715 HUF
SE4-35-150-PP-W	SE4 safety light curtain type 4 res=35mm h=1500mm muting	1 280 250 HUF
SE4-35-165-PP-W	SE4 safety light curtain type 4 res=35mm h=1650mm muting	1 386 784 HUF
SE4-P2-050-PP-W	SE4 safety light curtain type 4 2 beams h=500mm muting 50m	533 590 HUF
SE4-P3-080-PP-W	SE4 safety light curtain type 4 3 beams h=800mm muting 50m	695 688 HUF
SE4-P4-090-PP-W	SE4 safety light curtain type 4 4 beams h=900mm muting 50m	788 446 HUF
SE4-P4-120-PP-W	SE4 safety light curtain type 4 4 beams h=1200mm muting 50m	881 205 HUF
SE4-Q2-050-PP-W	SE4 safety light curtain type 4 2 beams h=250mm muting 25m	533 590 HUF
SE4-Q3-080-PP-W	SE4 safety light curtain type 4 3 beams h=800mm muting 25m	695 688 HUF
SE4-Q4-090-PP-W	SE4 safety light curtain type 4 4 beams h=900mm muting 25m	788 446 HUF
SE4-Q4-120-PP-W	SE4 safety light curtain type 4 4 beams h=1200mm muting 25m	881 205 HUF
SG2-30-015-OO-X	SG2 BASE safety light curtain type 2 res=30mm h=150mm autorestart	182 302 HUF
SG2-30-030-OO-X	SG2 BASE safety light curtain type 2 res=30mm h=300mm autorestart	221 794 HUF

SG2-30-045-OO-X	SG2 BASE safety light curtain type 2 res=30mm h=450mm autorestart	260 826 HUF
SG2-30-060-OO-X	SG2 BASE safety light curtain type 2 res=30mm h=600mm autorestart	303 990 HUF
SG2-30-075-OO-X	SG2 BASE safety light curtain type 2 res=30mm h=750mm autorestart	339 808 HUF
SG2-30-090-OO-X	SG2 BASE safety light curtain type 2 res=30mm h=900mm autorestart	393 075 HUF
SG2-30-105-OO-X	SG2 BASE safety light curtain type 2 res=30mm h=1050mm autorestart	446 802 HUF
SG2-30-120-OO-X	SG2 BASE safety light curtain type 2 res=30mm h=1200mm autorestart	491 803 HUF
SG2-30-135-OO-X	SG2 BASE safety light curtain type 2 res=30mm h=1350mm autorestart	527 162 HUF
SG2-30-150-OO-X	SG2 BASE safety light curtain type 2 res=30mm h=1500mm autorestart	590 072 HUF
SG2-30-165-OO-X	SG2 BASE safety light curtain type 2 res=30mm h=1650mm autorestart	645 176 HUF
SG2-30-180-OO-X	SG2 BASE safety light curtain type 2 res=30mm h=1800mm autorestart	704 872 HUF
SG2-50-030-OO-X	SG2 BASE safety light curtain type 2 res=50mm h=300mm autorestart	211 232 HUF
SG2-50-045-OO-X	SG2 BASE safety light curtain type 2 res=50mm h=450mm autorestart	245 213 HUF
SG2-50-060-OO-X	SG2 BASE safety light curtain type 2 res=50mm h=600mm autorestart	282 867 HUF
SG2-50-075-OO-X	SG2 BASE safety light curtain type 2 res=50mm h=750mm autorestart	313 634 HUF
SG2-50-090-OO-X	SG2 BASE safety light curtain type 2 res=50mm h=900mm autorestart	361 850 HUF
SG2-50-105-OO-X	SG2 BASE safety light curtain type 2 res=50mm h=1050mm autorestart	410 066 HUF
SG2-50-120-OO-X	SG2 BASE safety light curtain type 2 res=50mm h=1200mm autorestart	449 557 HUF
SG2-50-135-OO-X	SG2 BASE safety light curtain type 2 res=50mm h=1350mm autorestart	480 323 HUF
SG2-50-150-OO-X	SG2 BASE safety light curtain type 2 res=50mm h=1500mm autorestart	537 723 HUF
SG2-50-165-OO-X	SG2 BASE safety light curtain type 2 res=50mm h=1650mm autorestart	588 694 HUF
SG2-50-180-OO-X	SG2 BASE safety light curtain type 2 res=50mm h=1800mm autorestart	642 880 HUF
SG2-90-030-OO-X	SG2 BASE safety light curtain type 2 res=90mm h=300mm autorestart	204 344 HUF
SG2-90-045-OO-X	SG2 BASE safety light curtain type 2 res=90mm h=450mm autorestart	234 651 HUF
SG2-90-060-OO-X	SG2 BASE safety light curtain type 2 res=90mm h=600mm autorestart	269 091 HUF
SG2-90-075-OO-X	SG2 BASE safety light curtain type 2 res=90mm h=750mm autorestart	296 184 HUF
SG2-90-090-OO-X	SG2 BASE safety light curtain type 2 res=90mm h=900mm autorestart	341 186 HUF
SG2-90-105-OO-X	SG2 BASE safety light curtain type 2 res=90mm h=1050mm autorestart	385 728 HUF
SG2-90-120-OO-X	SG2 BASE safety light curtain type 2 res=90mm h=1200mm autorestart	418 331 HUF
SG2-90-135-OO-X	SG2 BASE safety light curtain type 2 res=90mm h=1350mm autorestart	449 098 HUF
SG2-90-150-OO-X	SG2 BASE safety light curtain type 2 res=90mm h=1500mm autorestart	502 824 HUF
SG2-90-165-OO-X	SG2 BASE safety light curtain type 2 res=90mm h=1650mm autorestart	532 213 HUF
SG2-90-180-OO-X	SG2 BASE safety light curtain type 2 res=90mm h=1800mm autorestart	581 347 HUF
SG2-30-015-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=30mm h=150mm edm coded man/auto	212 610 HUF
SG2-30-030-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=30mm h=300mm edm coded man/auto	258 530 HUF
SG2-30-045-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=30mm h=450mm edm coded man/auto	304 450 HUF
SG2-30-060-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=30mm h=600mm edm coded man/auto	354 502 HUF
SG2-30-075-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=30mm h=750mm edm coded man/auto	396 290 HUF
SG2-30-090-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=30mm h=900mm edm coded man/auto	458 741 HUF
SG2-30-105-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=30mm h=1050mm edm coded man/auto	521 192 HUF
SG2-30-120-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=30mm h=1200mm edm coded man/auto	573 082 HUF
SG2-30-135-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=30mm h=1350mm edm coded man/auto	614 869 HUF
SG2-30-150-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=30mm h=1500mm edm coded man/auto	687 882 HUF
SG2-30-165-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=30mm h=1650mm edm coded man/auto	752 629 HUF
SG2-30-180-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=30mm h=1800mm edm coded man/auto	821 968 HUF
SG2-50-030-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=50mm h=300mm edm coded man/auto	246 131 HUF
SG2-50-045-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=50mm h=450mm edm coded man/auto	286 082 HUF
SG2-50-060-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=50mm h=600mm edm coded man/auto	330 165 HUF
SG2-50-075-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=50mm h=750mm edm coded man/auto	365 523 HUF
SG2-50-090-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=50mm h=900mm edm coded man/auto	422 005 HUF
SG2-50-105-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=50mm h=1050mm edm coded man/auto	478 486 HUF
SG2-50-120-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=50mm h=1200mm edm coded man/auto	524 406 HUF
SG2-50-135-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=50mm h=1350mm edm coded man/auto	560 224 HUF
SG2-50-150-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=50mm h=1500mm edm coded man/auto	626 808 HUF
SG2-50-165-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=50mm h=1650mm edm coded man/auto	686 504 HUF
SG2-50-180-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=50mm h=1800mm edm coded man/auto	749 414 HUF
SG2-90-030-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=90mm h=300mm edm coded man/auto	238 325 HUF
SG2-90-045-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=90mm h=450mm edm coded man/auto	273 683 HUF
SG2-90-060-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=90mm h=600mm edm coded man/auto	313 634 HUF
SG2-90-075-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=90mm h=750mm edm coded man/auto	345 318 HUF
SG2-90-090-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=90mm h=900mm edm coded man/auto	397 667 HUF
SG2-90-105-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=90mm h=1050mm edm coded man/auto	450 016 HUF
SG2-90-120-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=90mm h=1200mm edm coded man/auto	487 670 HUF
SG2-90-135-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=90mm h=1350mm edm coded man/auto	523 488 HUF
SG2-90-150-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=90mm h=1500mm edm coded man/auto	586 398 HUF
SG2-90-165-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=90mm h=1650mm edm coded man/auto	620 838 HUF
SG2-90-180-OO-E-C	SG2 EXTENDED safety light curtain type 2 res=90mm h=1800mm edm coded man/auto	677 779 HUF
SG2-30-030-OO-W	SG2 MUTING safety light curtain type 2 res=30mm h=300mm edm man/auto muting	349 451 HUF
SG2-30-045-OO-W	SG2 MUTING safety light curtain type 2 res=30mm h=450mm edm man/auto muting	411 443 HUF
SG2-30-060-OO-W	SG2 MUTING safety light curtain type 2 res=30mm h=600mm edm man/auto muting	478 486 HUF
SG2-30-075-OO-W	SG2 MUTING safety light curtain type 2 res=30mm h=750mm edm man/auto muting	534 968 HUF
SG2-30-090-OO-W	SG2 MUTING safety light curtain type 2 res=30mm h=900mm edm man/auto muting	619 461 HUF
SG2-30-105-OO-W	SG2 MUTING safety light curtain type 2 res=30mm h=1050mm edm man/auto muting	703 494 HUF
SG2-30-120-OO-W	SG2 MUTING safety light curtain type 2 res=30mm h=1200mm edm man/auto muting	774 211 HUF
SG2-30-135-OO-W	SG2 MUTING safety light curtain type 2 res=30mm h=1350mm edm man/auto muting	830 234 HUF
SG2-30-150-OO-W	SG2 MUTING safety light curtain type 2 res=30mm h=1500mm edm man/auto muting	928 962 HUF
SG2-30-165-OO-W	SG2 MUTING safety light curtain type 2 res=30mm h=1650mm edm man/auto muting	1 016 210 HUF

SG2-30-180-OO-W	SG2 MUTING safety light curtain type 2 res=30mm h=1800mm edm man/auto muting	1 109 886 HUF
SG4-14-015-OO-E	SG4 BASE safety light curtain type 4 res=14mm h=150mm edm man/auto coded	357 258 HUF
SG4-14-030-OO-E	SG4 BASE safety light curtain type 4 res=14mm h=300mm edm man/auto coded	467 925 HUF
SG4-14-045-OO-E	SG4 BASE safety light curtain type 4 res=14mm h=450mm edm man/auto coded	577 214 HUF
SG4-14-060-OO-E	SG4 BASE safety light curtain type 4 res=14mm h=600mm edm man/auto coded	687 882 HUF
SG4-14-075-OO-E	SG4 BASE safety light curtain type 4 res=14mm h=750mm edm man/auto coded	798 549 HUF
SG4-14-090-OO-E	SG4 BASE safety light curtain type 4 res=14mm h=900mm edm man/auto coded	908 298 HUF
SG4-14-105-OO-E	SG4 BASE safety light curtain type 4 res=14mm h=1050mm edm man/auto coded	1 017 587 HUF
SG4-14-120-OO-E	SG4 BASE safety light curtain type 4 res=14mm h=1200mm edm man/auto coded	1 128 254 HUF
SG4-14-135-OO-E	SG4 BASE safety light curtain type 4 res=14mm h=1350mm edm man/auto coded	1 238 922 HUF
SG4-14-150-OO-E	SG4 BASE safety light curtain type 4 res=14mm h=1500mm edm man/auto coded	1 349 589 HUF
SG4-14-165-OO-E	SG4 BASE safety light curtain type 4 res=14mm h=1650mm edm man/auto coded	1 459 338 HUF
SG4-14-180-OO-E	SG4 BASE safety light curtain type 4 res=14mm h=1800mm edm man/auto coded	1 570 464 HUF
SG4-30-015-OO-E	SG4 BASE safety light curtain type 4 res=30mm h=150mm edm man/auto coded	342 563 HUF
SG4-30-030-OO-E	SG4 BASE safety light curtain type 4 res=30mm h=300mm edm man/auto coded	420 168 HUF
SG4-30-045-OO-E	SG4 BASE safety light curtain type 4 res=30mm h=450mm edm man/auto coded	497 314 HUF
SG4-30-060-OO-E	SG4 BASE safety light curtain type 4 res=30mm h=600mm edm man/auto coded	574 000 HUF
SG4-30-075-OO-E	SG4 BASE safety light curtain type 4 res=30mm h=750mm edm man/auto coded	651 605 HUF
SG4-30-090-OO-E	SG4 BASE safety light curtain type 4 res=30mm h=900mm edm man/auto coded	728 750 HUF
SG4-30-105-OO-E	SG4 BASE safety light curtain type 4 res=30mm h=1050mm edm man/auto coded	805 437 HUF
SG4-30-120-OO-E	SG4 BASE safety light curtain type 4 res=30mm h=1200mm edm man/auto coded	883 960 HUF
SG4-30-135-OO-E	SG4 BASE safety light curtain type 4 res=30mm h=1350mm edm man/auto coded	960 646 HUF
SG4-30-150-OO-E	SG4 BASE safety light curtain type 4 res=30mm h=1500mm edm man/auto coded	1 038 710 HUF
SG4-30-165-OO-E	SG4 BASE safety light curtain type 4 res=30mm h=1650mm edm man/auto coded	1 115 397 HUF
SG4-30-180-OO-E	SG4 BASE safety light curtain type 4 res=30mm h=1800mm edm man/auto coded	1 193 002 HUF
SG4-14-015-OO-X	SG4 BASE safety light curtain type 4 res=14mm h=150mm autorestart	311 705 HUF
SG4-14-030-OO-X	SG4 BASE safety light curtain type 4 res=14mm h=300mm autorestart	419 847 HUF
SG4-14-045-OO-X	SG4 BASE safety light curtain type 4 res=14mm h=450mm autorestart	526 473 HUF
SG4-14-060-OO-X	SG4 BASE safety light curtain type 4 res=14mm h=600mm autorestart	634 293 HUF
SG4-14-075-OO-X	SG4 BASE safety light curtain type 4 res=14mm h=750mm autorestart	742 205 HUF
SG4-14-090-OO-X	SG4 BASE safety light curtain type 4 res=14mm h=900mm autorestart	849 382 HUF
SG4-14-105-OO-X	SG4 BASE safety light curtain type 4 res=14mm h=1050mm autorestart	956 008 HUF
SG4-14-120-OO-X	SG4 BASE safety light curtain type 4 res=14mm h=1200mm autorestart	1 064 150 HUF
SG4-14-135-OO-X	SG4 BASE safety light curtain type 4 res=14mm h=1350mm autorestart	1 172 062 HUF
SG4-14-150-OO-X	SG4 BASE safety light curtain type 4 res=14mm h=1500mm autorestart	1 279 882 HUF
SG4-14-165-OO-X	SG4 BASE safety light curtain type 4 res=14mm h=1650mm autorestart	1 387 151 HUF
SG4-14-180-OO-X	SG4 BASE safety light curtain type 4 res=14mm h=1800mm autorestart	1 495 339 HUF
SG4-30-015-OO-X	SG4 BASE safety light curtain type 4 res=30mm h=150mm autorestart	288 194 HUF
SG4-30-030-OO-X	SG4 BASE safety light curtain type 4 res=30mm h=300mm autorestart	364 192 HUF
SG4-30-045-OO-X	SG4 BASE safety light curtain type 4 res=30mm h=450mm autorestart	439 317 HUF
SG4-30-060-OO-X	SG4 BASE safety light curtain type 4 res=30mm h=600mm autorestart	514 074 HUF
SG4-30-075-OO-X	SG4 BASE safety light curtain type 4 res=30mm h=750mm autorestart	589 842 HUF
SG4-30-090-OO-X	SG4 BASE safety light curtain type 4 res=30mm h=900mm autorestart	665 197 HUF
SG4-30-105-OO-X	SG4 BASE safety light curtain type 4 res=30mm h=1050mm autorestart	740 001 HUF
SG4-30-120-OO-X	SG4 BASE safety light curtain type 4 res=30mm h=1200mm autorestart	816 366 HUF
SG4-30-135-OO-X	SG4 BASE safety light curtain type 4 res=30mm h=1350mm autorestart	891 445 HUF
SG4-30-150-OO-X	SG4 BASE safety light curtain type 4 res=30mm h=1500mm autorestart	967 488 HUF
SG4-30-165-OO-X	SG4 BASE safety light curtain type 4 res=30mm h=1650mm autorestart	1 042 292 HUF
SG4-30-180-OO-X	SG4 BASE safety light curtain type 4 res=30mm h=1800mm autorestart	1 118 014 HUF
SG4-14-030-OO-P	SG4 EXTENDED safety light curtain type 4 res=14mm h=300mm edm man/auto coded programmable	579 970 HUF
SG4-14-045-OO-P	SG4 EXTENDED safety light curtain type 4 res=14mm h=450mm edm man/auto coded programmable	715 525 HUF
SG4-14-060-OO-P	SG4 EXTENDED safety light curtain type 4 res=14mm h=600mm edm man/auto coded programmable	852 597 HUF
SG4-14-075-OO-P	SG4 EXTENDED safety light curtain type 4 res=14mm h=750mm edm man/auto coded programmable	989 300 HUF
SG4-14-090-OO-P	SG4 EXTENDED safety light curtain type 4 res=14mm h=900mm edm man/auto coded programmable	1 125 637 HUF
SG4-14-105-OO-P	SG4 EXTENDED safety light curtain type 4 res=14mm h=1050mm edm man/auto coded programmable	1 261 147 HUF
SG4-14-120-OO-P	SG4 EXTENDED safety light curtain type 4 res=14mm h=1200mm edm man/auto coded programmable	1 398 218 HUF
SG4-14-135-OO-P	SG4 EXTENDED safety light curtain type 4 res=14mm h=1350mm edm man/auto coded programmable	1 535 335 HUF
SG4-14-150-OO-P	SG4 EXTENDED safety light curtain type 4 res=14mm h=1500mm edm man/auto coded programmable	1 672 406 HUF
SG4-14-165-OO-P	SG4 EXTENDED safety light curtain type 4 res=14mm h=1650mm edm man/auto coded programmable	1 808 330 HUF
SG4-14-180-OO-P	SG4 EXTENDED safety light curtain type 4 res=14mm h=1800mm edm man/auto coded programmable	1 945 768 HUF
SG4-30-030-OO-P	SG4 EXTENDED safety light curtain type 4 res=30mm h=300mm edm man/auto coded programmable	471 874 HUF
SG4-30-045-OO-P	SG4 EXTENDED safety light curtain type 4 res=30mm h=450mm edm man/auto coded programmable	558 387 HUF
SG4-30-060-OO-P	SG4 EXTENDED safety light curtain type 4 res=30mm h=600mm edm man/auto coded programmable	644 074 HUF
SG4-30-075-OO-P	SG4 EXTENDED safety light curtain type 4 res=30mm h=750mm edm man/auto coded programmable	731 368 HUF
SG4-30-090-OO-P	SG4 EXTENDED safety light curtain type 4 res=30mm h=900mm edm man/auto coded programmable	817 835 HUF
SG4-30-105-OO-P	SG4 EXTENDED safety light curtain type 4 res=30mm h=1050mm edm man/auto coded programmable	903 981 HUF
SG4-30-120-OO-P	SG4 EXTENDED safety light curtain type 4 res=30mm h=1200mm edm man/auto coded programmable	991 642 HUF
SG4-30-135-OO-P	SG4 EXTENDED safety light curtain type 4 res=30mm h=1350mm edm man/auto coded programmable	1 078 110 HUF
SG4-30-150-OO-P	SG4 EXTENDED safety light curtain type 4 res=30mm h=1500mm edm man/auto coded programmable	1 165 771 HUF
SG4-30-165-OO-P	SG4 EXTENDED safety light curtain type 4 res=30mm h=1650mm edm man/auto coded programmable	1 251 504 HUF
SG4-30-180-OO-P	SG4 EXTENDED safety light curtain type 4 res=30mm h=1800mm edm man/auto coded programmable	1 338 752 HUF
SG4-H14-015-OO-X-B	SG4-H safety light curtain stainless steel type 4 res=14mm h=150mm autorestart	1 120 448 HUF
SG4-H14-030-OO-X-B	SG4-H safety light curtain stainless steel type 4 res=14mm h=300mm autorestart	1 386 784 HUF
SG4-H14-045-OO-X-B	SG4-H safety light curtain stainless steel type 4 res=14mm h=450mm autorestart	1 699 040 HUF
SG4-40-060-OO-E	SG4 LONG RANGE BASE safety light curtain type 4 res=40mm h=600mm edm man auto coded 60m	585 756 HUF
SG4-40-090-OO-E	SG4 LONG RANGE BASE safety light curtain type 4 res=40mm h=900mm edm man auto coded 60m	768 517 HUF

SG4-40-120-OO-E	SG4 LONG RANGE BASE safety light curtain type 4 res=40mm h=1200mm edm man auto coded 60m	964 687 HUF
SL2-14-0150-E	SLIM safety light curtain type 2 res=14mm h=150mm edm man/auto	289 985 HUF
SL2-14-0210-E	SLIM safety light curtain type 2 res=14mm h=210mm edm man/auto	314 276 HUF
SL2-14-0270-E	SLIM safety light curtain type 2 res=14mm h=270mm edm man/auto	338 568 HUF
SL2-14-0300-E	SLIM safety light curtain type 2 res=14mm h=300mm edm man/auto	362 860 HUF
SL2-14-0330-E	SLIM safety light curtain type 2 res=14mm h=330mm edm man/auto	377 416 HUF
SL2-14-0360-E	SLIM safety light curtain type 2 res=14mm h=360mm edm man/auto	392 019 HUF
SL2-14-0390-E	SLIM safety light curtain type 2 res=14mm h=390mm edm man/auto	406 576 HUF
SL2-14-0420-E	SLIM safety light curtain type 2 res=14mm h=420mm edm man/auto	421 178 HUF
SL2-14-0450-E	SLIM safety light curtain type 2 res=14mm h=450mm edm man/auto	435 735 HUF
SL2-14-0480-E	SLIM safety light curtain type 2 res=14mm h=480mm edm man/auto	450 292 HUF
SL2-14-0510-E	SLIM safety light curtain type 2 res=14mm h=510mm edm man/auto	464 894 HUF
SL2-14-0540-E	SLIM safety light curtain type 2 res=14mm h=540mm edm man/auto	479 451 HUF
SL2-14-0570-E	SLIM safety light curtain type 2 res=14mm h=570mm edm man/auto	494 053 HUF
SL2-14-0600-E	SLIM safety light curtain type 2 res=14mm h=600mm edm man/auto	508 610 HUF
SL2-14-0630-E	SLIM safety light curtain type 2 res=14mm h=630mm edm man/auto	523 212 HUF
SL2-14-0660-E	SLIM safety light curtain type 2 res=14mm h=660mm edm man/auto	537 769 HUF
SL2-14-0690-E	SLIM safety light curtain type 2 res=14mm h=690mm edm man/auto	552 326 HUF
SL2-14-0720-E	SLIM safety light curtain type 2 res=14mm h=720mm edm man/auto	566 928 HUF
SL2-14-0750-E	SLIM safety light curtain type 2 res=14mm h=750mm edm man/auto	581 485 HUF
SL2-14-0780-E	SLIM safety light curtain type 2 res=14mm h=780mm edm man/auto	596 088 HUF
SL2-14-0810-E	SLIM safety light curtain type 2 res=14mm h=810mm edm man/auto	610 644 HUF
SL2-14-0840-E	SLIM safety light curtain type 2 res=14mm h=840mm edm man/auto	625 247 HUF
SL2-14-0870-E	SLIM safety light curtain type 2 res=14mm h=870mm edm man/auto	639 803 HUF
SL2-14-0900-E	SLIM safety light curtain type 2 res=14mm h=900mm edm man/auto	653 993 HUF
SL2-14-0930-E	SLIM safety light curtain type 2 res=14mm h=930mm edm man/auto	668 549 HUF
SL2-14-0960-E	SLIM safety light curtain type 2 res=14mm h=960mm edm man/auto	683 152 HUF
SL2-14-0990-E	SLIM safety light curtain type 2 res=14mm h=990mm edm man/auto	697 708 HUF
SL2-14-1020-E	SLIM safety light curtain type 2 res=14mm h=1020mm edm man/auto	712 311 HUF
SL2-14-1050-E	SLIM safety light curtain type 2 res=14mm h=1050mm edm man/auto	726 500 HUF
SL2-14-1080-E	SLIM safety light curtain type 2 res=14mm h=1080mm edm man/auto	741 057 HUF
SL2-14-1110-E	SLIM safety light curtain type 2 res=14mm h=1110mm edm man/auto	755 660 HUF
SL2-14-1140-E	SLIM safety light curtain type 2 res=14mm h=1140mm edm man/auto	770 216 HUF
SL2-14-1170-E	SLIM safety light curtain type 2 res=14mm h=1170mm edm man/auto	784 773 HUF
SL2-14-1200-E	SLIM safety light curtain type 2 res=14mm h=1200mm edm man/auto	799 375 HUF
SL2-24-0150-E	SLIM safety light curtain type 2 res=24mm h=150mm edm man/auto	287 872 HUF
SL2-24-0210-E	SLIM safety light curtain type 2 res=24mm h=210mm edm man/auto	305 092 HUF
SL2-24-0270-E	SLIM safety light curtain type 2 res=24mm h=270mm edm man/auto	322 358 HUF
SL2-24-0300-E	SLIM safety light curtain type 2 res=24mm h=300mm edm man/auto	339 578 HUF
SL2-24-0330-E	SLIM safety light curtain type 2 res=24mm h=330mm edm man/auto	349 910 HUF
SL2-24-0360-E	SLIM safety light curtain type 2 res=24mm h=360mm edm man/auto	360 242 HUF
SL2-24-0390-E	SLIM safety light curtain type 2 res=24mm h=390mm edm man/auto	370 574 HUF
SL2-24-0420-E	SLIM safety light curtain type 2 res=24mm h=420mm edm man/auto	380 906 HUF
SL2-24-0450-E	SLIM safety light curtain type 2 res=24mm h=450mm edm man/auto	391 238 HUF
SL2-24-0480-E	SLIM safety light curtain type 2 res=24mm h=480mm edm man/auto	401 570 HUF
SL2-24-0510-E	SLIM safety light curtain type 2 res=24mm h=510mm edm man/auto	411 902 HUF
SL2-24-0540-E	SLIM safety light curtain type 2 res=24mm h=540mm edm man/auto	422 234 HUF
SL2-24-0570-E	SLIM safety light curtain type 2 res=24mm h=570mm edm man/auto	432 566 HUF
SL2-24-0600-E	SLIM safety light curtain type 2 res=24mm h=600mm edm man/auto	442 898 HUF
SL2-24-0630-E	SLIM safety light curtain type 2 res=24mm h=630mm edm man/auto	453 230 HUF
SL2-24-0660-E	SLIM safety light curtain type 2 res=24mm h=660mm edm man/auto	463 562 HUF
SL2-24-0690-E	SLIM safety light curtain type 2 res=24mm h=690mm edm man/auto	473 894 HUF
SL2-24-0720-E	SLIM safety light curtain type 2 res=24mm h=720mm edm man/auto	484 226 HUF
SL2-24-0750-E	SLIM safety light curtain type 2 res=24mm h=750mm edm man/auto	494 558 HUF
SL2-24-0780-E	SLIM safety light curtain type 2 res=24mm h=780mm edm man/auto	504 890 HUF
SL2-24-0810-E	SLIM safety light curtain type 2 res=24mm h=810mm edm man/auto	515 222 HUF
SL2-24-0840-E	SLIM safety light curtain type 2 res=24mm h=840mm edm man/auto	525 554 HUF
SL2-24-0870-E	SLIM safety light curtain type 2 res=24mm h=870mm edm man/auto	535 886 HUF
SL2-24-0900-E	SLIM safety light curtain type 2 res=24mm h=900mm edm man/auto	546 172 HUF
SL2-24-0930-E	SLIM safety light curtain type 2 res=24mm h=930mm edm man/auto	556 504 HUF
SL2-24-0960-E	SLIM safety light curtain type 2 res=24mm h=960mm edm man/auto	566 836 HUF
SL2-24-0990-E	SLIM safety light curtain type 2 res=24mm h=990mm edm man/auto	577 168 HUF
SL2-24-1020-E	SLIM safety light curtain type 2 res=24mm h=1020mm edm man/auto	587 500 HUF
SL2-24-1050-E	SLIM safety light curtain type 2 res=24mm h=1050mm edm man/auto	597 832 HUF
SL2-24-1080-E	SLIM safety light curtain type 2 res=24mm h=1080mm edm man/auto	608 164 HUF
SL2-24-1110-E	SLIM safety light curtain type 2 res=24mm h=1110mm edm man/auto	618 496 HUF
SL2-24-1140-E	SLIM safety light curtain type 2 res=24mm h=1140mm edm man/auto	628 828 HUF
SL2-24-1170-E	SLIM safety light curtain type 2 res=24mm h=1170mm edm man/auto	639 160 HUF
SL2-24-1200-E	SLIM safety light curtain type 2 res=24mm h=1200mm edm man/auto	649 492 HUF
SL2-34-0150-E	SLIM safety light curtain type 2 res=34mm h=150mm edm man/auto	270 790 HUF
SL2-34-0210-E	SLIM safety light curtain type 2 res=34mm h=210mm edm man/auto	287 781 HUF
SL2-34-0270-E	SLIM safety light curtain type 2 res=34mm h=270mm edm man/auto	304 771 HUF
SL2-34-0300-E	SLIM safety light curtain type 2 res=34mm h=300mm edm man/auto	321 807 HUF
SL2-34-0330-E	SLIM safety light curtain type 2 res=34mm h=330mm edm man/auto	332 002 HUF
SL2-34-0360-E	SLIM safety light curtain type 2 res=34mm h=360mm edm man/auto	342 242 HUF
SL2-34-0390-E	SLIM safety light curtain type 2 res=34mm h=390mm edm man/auto	352 436 HUF

SL2-34-0420-E	SLIM safety light curtain type 2 res=34mm h=420mm edm man/auto	362 630 HUF
SL2-34-0450-E	SLIM safety light curtain type 2 res=34mm h=450mm edm man/auto	372 870 HUF
SL2-34-0480-E	SLIM safety light curtain type 2 res=34mm h=480mm edm man/auto	383 065 HUF
SL2-34-0510-E	SLIM safety light curtain type 2 res=34mm h=510mm edm man/auto	393 259 HUF
SL2-34-0540-E	SLIM safety light curtain type 2 res=34mm h=540mm edm man/auto	403 499 HUF
SL2-34-0570-E	SLIM safety light curtain type 2 res=34mm h=570mm edm man/auto	413 693 HUF
SL2-34-0600-E	SLIM safety light curtain type 2 res=34mm h=600mm edm man/auto	423 888 HUF
SL2-34-0630-E	SLIM safety light curtain type 2 res=34mm h=630mm edm man/auto	434 128 HUF
SL2-34-0660-E	SLIM safety light curtain type 2 res=34mm h=660mm edm man/auto	444 322 HUF
SL2-34-0690-E	SLIM safety light curtain type 2 res=34mm h=690mm edm man/auto	454 516 HUF
SL2-34-0720-E	SLIM safety light curtain type 2 res=34mm h=720mm edm man/auto	464 756 HUF
SL2-34-0750-E	SLIM safety light curtain type 2 res=34mm h=750mm edm man/auto	474 951 HUF
SL2-34-0780-E	SLIM safety light curtain type 2 res=34mm h=780mm edm man/auto	485 145 HUF
SL2-34-0810-E	SLIM safety light curtain type 2 res=34mm h=810mm edm man/auto	495 385 HUF
SL2-34-0840-E	SLIM safety light curtain type 2 res=34mm h=840mm edm man/auto	505 579 HUF
SL2-34-0870-E	SLIM safety light curtain type 2 res=34mm h=870mm edm man/auto	515 773 HUF
SL2-34-0900-E	SLIM safety light curtain type 2 res=34mm h=900mm edm man/auto	525 968 HUF
SL2-34-0930-E	SLIM safety light curtain type 2 res=34mm h=930mm edm man/auto	536 208 HUF
SL2-34-0960-E	SLIM safety light curtain type 2 res=34mm h=960mm edm man/auto	546 402 HUF
SL2-34-0990-E	SLIM safety light curtain type 2 res=34mm h=990mm edm man/auto	556 596 HUF
SL2-34-1020-E	SLIM safety light curtain type 2 res=34mm h=1020mm edm man/auto	566 836 HUF
SL2-34-1050-E	SLIM safety light curtain type 2 res=34mm h=1050mm edm man/auto	577 031 HUF
SL2-34-1080-E	SLIM safety light curtain type 2 res=34mm h=1080mm edm man/auto	587 225 HUF
SL2-34-1110-E	SLIM safety light curtain type 2 res=34mm h=1110mm edm man/auto	597 465 HUF
SL2-34-1140-E	SLIM safety light curtain type 2 res=34mm h=1140mm edm man/auto	607 659 HUF
SL2-34-1170-E	SLIM safety light curtain type 2 res=34mm h=1170mm edm man/auto	617 854 HUF
SL2-34-1200-E	SLIM safety light curtain type 2 res=34mm h=1200mm edm man/auto	628 094 HUF
SL4-14-0150-E	SLIM safety light curtain type 4 res=14mm h=150mm edm man/auto	395 601 HUF
SL4-14-0210-E	SLIM safety light curtain type 4 res=14mm h=210mm edm man/auto	431 556 HUF
SL4-14-0270-E	SLIM safety light curtain type 4 res=14mm h=270mm edm man/auto	467 512 HUF
SL4-14-0300-E	SLIM safety light curtain type 4 res=14mm h=300mm edm man/auto	503 513 HUF
SL4-14-0330-E	SLIM safety light curtain type 4 res=14mm h=330mm edm man/auto	525 095 HUF
SL4-14-0360-E	SLIM safety light curtain type 4 res=14mm h=360mm edm man/auto	546 678 HUF
SL4-14-0390-E	SLIM safety light curtain type 4 res=14mm h=390mm edm man/auto	568 214 HUF
SL4-14-0420-E	SLIM safety light curtain type 4 res=14mm h=420mm edm man/auto	589 796 HUF
SL4-14-0450-E	SLIM safety light curtain type 4 res=14mm h=450mm edm man/auto	611 379 HUF
SL4-14-0480-E	SLIM safety light curtain type 4 res=14mm h=480mm edm man/auto	632 961 HUF
SL4-14-0510-E	SLIM safety light curtain type 4 res=14mm h=510mm edm man/auto	654 544 HUF
SL4-14-0540-E	SLIM safety light curtain type 4 res=14mm h=540mm edm man/auto	676 126 HUF
SL4-14-0570-E	SLIM safety light curtain type 4 res=14mm h=570mm edm man/auto	697 708 HUF
SL4-14-0600-E	SLIM safety light curtain type 4 res=14mm h=600mm edm man/auto	719 291 HUF
SL4-14-0630-E	SLIM safety light curtain type 4 res=14mm h=630mm edm man/auto	740 873 HUF
SL4-14-0660-E	SLIM safety light curtain type 4 res=14mm h=660mm edm man/auto	762 456 HUF
SL4-14-0690-E	SLIM safety light curtain type 4 res=14mm h=690mm edm man/auto	784 038 HUF
SL4-14-0720-E	SLIM safety light curtain type 4 res=14mm h=720mm edm man/auto	805 620 HUF
SL4-14-0750-E	SLIM safety light curtain type 4 res=14mm h=750mm edm man/auto	827 157 HUF
SL4-14-0780-E	SLIM safety light curtain type 4 res=14mm h=780mm edm man/auto	848 280 HUF
SL4-14-0810-E	SLIM safety light curtain type 4 res=14mm h=810mm edm man/auto	869 357 HUF
SL4-14-0840-E	SLIM safety light curtain type 4 res=14mm h=840mm edm man/auto	890 435 HUF
SL4-14-0870-E	SLIM safety light curtain type 4 res=14mm h=870mm edm man/auto	911 558 HUF
SL4-14-0900-E	SLIM safety light curtain type 4 res=14mm h=900mm edm man/auto	932 635 HUF
SL4-14-0930-E	SLIM safety light curtain type 4 res=14mm h=930mm edm man/auto	954 218 HUF
SL4-14-0960-E	SLIM safety light curtain type 4 res=14mm h=960mm edm man/auto	975 800 HUF
SL4-14-0990-E	SLIM safety light curtain type 4 res=14mm h=990mm edm man/auto	997 382 HUF
SL4-14-1020-E	SLIM safety light curtain type 4 res=14mm h=1020mm edm man/auto	1 018 965 HUF
SL4-14-1050-E	SLIM safety light curtain type 4 res=14mm h=1050mm edm man/auto	1 040 547 HUF
SL4-14-1080-E	SLIM safety light curtain type 4 res=14mm h=1080mm edm man/auto	1 061 487 HUF
SL4-14-1110-E	SLIM safety light curtain type 4 res=14mm h=1110mm edm man/auto	1 082 380 HUF
SL4-14-1140-E	SLIM safety light curtain type 4 res=14mm h=1140mm edm man/auto	1 103 320 HUF
SL4-14-1170-E	SLIM safety light curtain type 4 res=14mm h=1170mm edm man/auto	1 124 259 HUF
SL4-14-1200-E	SLIM safety light curtain type 4 res=14mm h=1200mm edm man/auto	1 145 199 HUF
SL4-24-0150-E	SLIM safety light curtain type 4 res=24mm h=150mm edm man/auto	393 534 HUF
SL4-24-0210-E	SLIM safety light curtain type 4 res=24mm h=210mm edm man/auto	419 112 HUF
SL4-24-0270-E	SLIM safety light curtain type 4 res=24mm h=270mm edm man/auto	444 643 HUF
SL4-24-0300-E	SLIM safety light curtain type 4 res=24mm h=300mm edm man/auto	470 221 HUF
SL4-24-0330-E	SLIM safety light curtain type 4 res=24mm h=330mm edm man/auto	485 558 HUF
SL4-24-0360-E	SLIM safety light curtain type 4 res=24mm h=360mm edm man/auto	500 895 HUF
SL4-24-0390-E	SLIM safety light curtain type 4 res=24mm h=390mm edm man/auto	516 233 HUF
SL4-24-0420-E	SLIM safety light curtain type 4 res=24mm h=420mm edm man/auto	531 570 HUF
SL4-24-0450-E	SLIM safety light curtain type 4 res=24mm h=450mm edm man/auto	546 907 HUF
SL4-24-0480-E	SLIM safety light curtain type 4 res=24mm h=480mm edm man/auto	562 244 HUF
SL4-24-0510-E	SLIM safety light curtain type 4 res=24mm h=510mm edm man/auto	577 582 HUF
SL4-24-0540-E	SLIM safety light curtain type 4 res=24mm h=540mm edm man/auto	592 919 HUF
SL4-24-0570-E	SLIM safety light curtain type 4 res=24mm h=570mm edm man/auto	608 256 HUF
SL4-24-0600-E	SLIM safety light curtain type 4 res=24mm h=600mm edm man/auto	623 594 HUF
SL4-24-0630-E	SLIM safety light curtain type 4 res=24mm h=630mm edm man/auto	638 931 HUF

SL4-24-0660-E	SLIM safety light curtain type 4 res=24mm h=660mm edm man/auto	654 268 HUF
SL4-24-0690-E	SLIM safety light curtain type 4 res=24mm h=690mm edm man/auto	669 605 HUF
SL4-24-0720-E	SLIM safety light curtain type 4 res=24mm h=720mm edm man/auto	684 943 HUF
SL4-24-0750-E	SLIM safety light curtain type 4 res=24mm h=750mm edm man/auto	700 280 HUF
SL4-24-0780-E	SLIM safety light curtain type 4 res=24mm h=780mm edm man/auto	715 617 HUF
SL4-24-0810-E	SLIM safety light curtain type 4 res=24mm h=810mm edm man/auto	730 955 HUF
SL4-24-0840-E	SLIM safety light curtain type 4 res=24mm h=840mm edm man/auto	746 292 HUF
SL4-24-0870-E	SLIM safety light curtain type 4 res=24mm h=870mm edm man/auto	761 629 HUF
SL4-24-0900-E	SLIM safety light curtain type 4 res=24mm h=900mm edm man/auto	776 966 HUF
SL4-24-0930-E	SLIM safety light curtain type 4 res=24mm h=930mm edm man/auto	792 304 HUF
SL4-24-0960-E	SLIM safety light curtain type 4 res=24mm h=960mm edm man/auto	807 641 HUF
SL4-24-0990-E	SLIM safety light curtain type 4 res=24mm h=990mm edm man/auto	822 978 HUF
SL4-24-1020-E	SLIM safety light curtain type 4 res=24mm h=1020mm edm man/auto	838 316 HUF
SL4-24-1050-E	SLIM safety light curtain type 4 res=24mm h=1050mm edm man/auto	853 653 HUF
SL4-24-1080-E	SLIM safety light curtain type 4 res=24mm h=1080mm edm man/auto	868 990 HUF
SL4-24-1110-E	SLIM safety light curtain type 4 res=24mm h=1110mm edm man/auto	884 327 HUF
SL4-24-1140-E	SLIM safety light curtain type 4 res=24mm h=1140mm edm man/auto	899 665 HUF
SL4-24-1170-E	SLIM safety light curtain type 4 res=24mm h=1170mm edm man/auto	915 002 HUF
SL4-24-1200-E	SLIM safety light curtain type 4 res=24mm h=1200mm edm man/auto	930 339 HUF
SL4-34-0150-E	SLIM safety light curtain type 4 res=34mm h=150mm edm man/auto	370 161 HUF
SL4-34-0210-E	SLIM safety light curtain type 4 res=34mm h=210mm edm man/auto	395 463 HUF
SL4-34-0270-E	SLIM safety light curtain type 4 res=34mm h=270mm edm man/auto	420 719 HUF
SL4-34-0300-E	SLIM safety light curtain type 4 res=34mm h=300mm edm man/auto	445 975 HUF
SL4-34-0330-E	SLIM safety light curtain type 4 res=34mm h=330mm edm man/auto	461 129 HUF
SL4-34-0360-E	SLIM safety light curtain type 4 res=34mm h=360mm edm man/auto	476 328 HUF
SL4-34-0390-E	SLIM safety light curtain type 4 res=34mm h=390mm edm man/auto	491 482 HUF
SL4-34-0420-E	SLIM safety light curtain type 4 res=34mm h=420mm edm man/auto	506 635 HUF
SL4-34-0450-E	SLIM safety light curtain type 4 res=34mm h=450mm edm man/auto	521 789 HUF
SL4-34-0480-E	SLIM safety light curtain type 4 res=34mm h=480mm edm man/auto	536 713 HUF
SL4-34-0510-E	SLIM safety light curtain type 4 res=34mm h=510mm edm man/auto	551 591 HUF
SL4-34-0540-E	SLIM safety light curtain type 4 res=34mm h=540mm edm man/auto	566 515 HUF
SL4-34-0570-E	SLIM safety light curtain type 4 res=34mm h=570mm edm man/auto	581 393 HUF
SL4-34-0600-E	SLIM safety light curtain type 4 res=34mm h=600mm edm man/auto	596 317 HUF
SL4-34-0630-E	SLIM safety light curtain type 4 res=34mm h=630mm edm man/auto	611 471 HUF
SL4-34-0660-E	SLIM safety light curtain type 4 res=34mm h=660mm edm man/auto	626 624 HUF
SL4-34-0690-E	SLIM safety light curtain type 4 res=34mm h=690mm edm man/auto	641 778 HUF
SL4-34-0720-E	SLIM safety light curtain type 4 res=34mm h=720mm edm man/auto	656 977 HUF
SL4-34-0750-E	SLIM safety light curtain type 4 res=34mm h=750mm edm man/auto	672 131 HUF
SL4-34-0780-E	SLIM safety light curtain type 4 res=34mm h=780mm edm man/auto	687 285 HUF
SL4-34-0810-E	SLIM safety light curtain type 4 res=34mm h=810mm edm man/auto	702 438 HUF
SL4-34-0840-E	SLIM safety light curtain type 4 res=34mm h=840mm edm man/auto	717 592 HUF
SL4-34-0870-E	SLIM safety light curtain type 4 res=34mm h=870mm edm man/auto	732 791 HUF
SL4-34-0900-E	SLIM safety light curtain type 4 res=34mm h=900mm edm man/auto	747 945 HUF
SL4-34-0930-E	SLIM safety light curtain type 4 res=34mm h=930mm edm man/auto	763 099 HUF
SL4-34-0960-E	SLIM safety light curtain type 4 res=34mm h=960mm edm man/auto	778 252 HUF
SL4-34-0990-E	SLIM safety light curtain type 4 res=34mm h=990mm edm man/auto	793 406 HUF
SL4-34-1020-E	SLIM safety light curtain type 4 res=34mm h=1020mm edm man/auto	808 559 HUF
SL4-34-1050-E	SLIM safety light curtain type 4 res=34mm h=1050mm edm man/auto	823 759 HUF
SL4-34-1080-E	SLIM safety light curtain type 4 res=34mm h=1080mm edm man/auto	838 912 HUF
SL4-34-1110-E	SLIM safety light curtain type 4 res=34mm h=1110mm edm man/auto	854 066 HUF
SL4-34-1140-E	SLIM safety light curtain type 4 res=34mm h=1140mm edm man/auto	869 220 HUF
SL4-34-1170-E	SLIM safety light curtain type 4 res=34mm h=1170mm edm man/auto	884 373 HUF
SL4-34-1200-E	SLIM safety light curtain type 4 res=34mm h=1200mm edm man/auto	898 608 HUF
SG2-B3-080-OO-E	SG BODY BIG BASE safety multiple beam type 2 3 beams h=800mm edm man/auto	360 472 HUF
SG2-B4-090-OO-E	SG BODY BIG BASE safety multiple beam type 2 4 beams h=900mm edm man/auto	413 739 HUF
SG2-B4-120-OO-E	SG BODY BIG BASE safety multiple beam type 2 4 beams h=1200mm edm man/auto	460 118 HUF
SG4-B2-050-OO-E	SG BODY BIG BASE safety multiple beam type 4 2 beams h=500mm edm man/auto	292 510 HUF
SG4-B3-080-OO-E	SG BODY BIG BASE safety multiple beam type 4 3 beams h=800mm edm man/auto	366 901 HUF
SG4-B4-090-OO-E	SG BODY BIG BASE safety multiple beam type 4 4 beams h=900mm edm man/auto	420 168 HUF
SG4-B4-120-OO-E	SG BODY BIG BASE safety multiple beam type 4 4 beams h=1200mm edm man/auto	466 088 HUF
SG2-B2-050-OO-W-C	SG BODY BIG MUTING safety multiple beam type 2 2 beams h=500mm edm man/auto muting coded	366 442 HUF
SG2-B3-080-OO-W-C	SG BODY BIG MUTING safety multiple beam type 2 3 beams h=800mm edm man/auto muting coded	448 638 HUF
SG2-B4-090-OO-W-C	SG BODY BIG MUTING safety multiple beam type 2 4 beams h=900mm edm man/auto muting coded	506 038 HUF
SG2-B4-120-OO-W-C	SG BODY BIG MUTING safety multiple beam type 2 4 beams h=1200mm edm man/auto muting coded	557 010 HUF
SG4-BLR2-050-OO-W-C	SG BODY BIG MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting coded 60	373 330 HUF
SG4-BLR3-080-OO-W-C	SG BODY BIG MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting coded 60	455 067 HUF
SG4-BLR4-090-OO-W-C	SG BODY BIG MUTING safety multiple beam type 4 4 beams h=900mm edm man/auto muting coded 60	512 467 HUF
SG4-BLR4-120-OO-W-C	SG BODY BIG MUTING safety multiple beam type 4 4 beams h=1200mm edm man/auto muting coded 60	563 438 HUF
SG4-BSR2-050-OO-W-C	SG BODY BIG MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting coded 30	373 330 HUF
SG4-BSR3-080-OO-W-C	SG BODY BIG MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting coded 30	455 067 HUF
SG4-BSR4-090-OO-W-C	SG BODY BIG MUTING safety multiple beam type 4 4 beams h=900mm edm man/auto muting coded 30	512 467 HUF
SG4-BSR4-120-OO-W-C	SG BODY BIG MUTING safety multiple beam type 4 4 beams h=1200mm edm man/auto muting coded 30	563 438 HUF
SG2-S2-050-PP-E	SG BODY COMPACT BASE safety multiple beam type 2 2 beams h=500mm edm man/auto	239 702 HUF
SG2-S3-080-PP-E	SG BODY COMPACT BASE safety multiple beam type 2 3 beams h=800mm edm man/auto	280 571 HUF
SG2-S4-090-PP-E	SG BODY COMPACT BASE safety multiple beam type 2 4 beams h=900mm edm man/auto	304 450 HUF
SG2-S4-120-PP-E	SG BODY COMPACT BASE safety multiple beam type 2 4 beams h=1200mm edm man/auto	342 563 HUF

SG4-S2-050-PP-E	SG BODY COMPACT BASE safety multiple beam type 4 2 beams h=500mm edm man/auto	251 182 HUF
SG4-S3-080-PP-E	SG BODY COMPACT BASE safety multiple beam type 4 3 beams h=800mm edm man/auto	293 429 HUF
SG4-S4-090-PP-E	SG BODY COMPACT BASE safety multiple beam type 4 4 beams h=900mm edm man/auto	316 389 HUF
SG4-S4-120-PP-E	SG BODY COMPACT BASE safety multiple beam type 4 4 beams h=1200mm edm man/auto	358 635 HUF
SG2-L2-050-PP-W	SG BODY COMPACT MUTING safety multiple beam type 2 2 beams h=500mm edm man/auto muting I	423 842 HUF
SG2-L3-080-PP-W	SG BODY COMPACT MUTING safety multiple beam type 2 3 beams h=800mm edm man/auto muting I	489 048 HUF
SG2-S2-050-PP-W	SG BODY COMPACT MUTING safety multiple beam type 2 2 beams h=500mm edm man/auto muting	260 826 HUF
SG2-S3-080-PP-W	SG BODY COMPACT MUTING safety multiple beam type 2 3 beams h=800mm edm man/auto muting	309 960 HUF
SG2-S4-090-PP-W	SG BODY COMPACT MUTING safety multiple beam type 2 4 beams h=900mm edm man/auto muting	326 032 HUF
SG2-S4-120-PP-W	SG BODY COMPACT MUTING safety multiple beam type 2 4 beams h=1200mm edm man/auto muting	391 238 HUF
SG2-T2-050-PP-W	SG BODY COMPACT MUTING safety multiple beam type 2 2 beams h=500mm edm man/auto muting T	521 651 HUF
SG2-T3-080-PP-W	SG BODY COMPACT MUTING safety multiple beam type 2 3 beams h=800mm edm man/auto muting T	603 389 HUF
SG4-L2-050-PP-W	SG BODY COMPACT MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting I	456 445 HUF
SG4-L3-080-PP-W	SG BODY COMPACT MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting I	521 651 HUF
SG4-S2-050-PP-W	SG BODY COMPACT MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting	277 357 HUF
SG4-S3-080-PP-W	SG BODY COMPACT MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting	326 032 HUF
SG4-S4-090-PP-W	SG BODY COMPACT MUTING safety multiple beam type 4 4 beams h=900mm edm man/auto muting	348 992 HUF
SG4-S4-120-PP-W	SG BODY COMPACT MUTING safety multiple beam type 4 4 beams h=1200mm edm man/auto muting	423 842 HUF
SG4-T2-050-PP-W	SG BODY COMPACT MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting T	554 254 HUF
SG4-T3-080-PP-W	SG BODY COMPACT MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting T	635 992 HUF
SG4-S2-050-PP-X	SG BODY COMPACT BASE safety multiple beam type 4 2 beams h=500mm autorestart	235 845 HUF
SG4-S3-080-PP-X	SG BODY COMPACT BASE safety multiple beam type 4 3 beams h=800mm autorestart	277 173 HUF
SG4-S4-090-PP-X	SG BODY COMPACT BASE safety multiple beam type 4 4 beams h=900mm autorestart	299 444 HUF
SG4-S4-120-PP-X	SG BODY COMPACT BASE safety multiple beam type 4 4 beams h=1200mm autorestart	340 818 HUF
SG4-RB2-050-OO-E	SG BODY REFLECTOR BASE safety multiple beam type 4 2 beams h=500mm edm man/auto active side	190 568 HUF
SG4-RB3-080-OO-E	SG BODY REFLECTOR BASE safety multiple beam type 4 3 beams h=800mm edm man/auto active side	239 702 HUF
SG4-RB4-090-OO-E	SG BODY REFLECTOR BASE safety multiple beam type 4 4 beams h=900mm edm man/auto active side	269 091 HUF
SG4-RB4-120-OO-E	SG BODY REFLECTOR BASE safety multiple beam type 4 4 beams h=1200mm edm man/auto active side	298 480 HUF
SG4-RB2-050-OO-W	SG BODY REFLECTOR MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting	241 539 HUF
SG4-RB2L-050-OO-W	SG BODY REFLECTOR MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting	365 523 HUF
SG4-RB2T-050-OO-W	SG BODY REFLECTOR MUTING safety multiple beam type 4 2 beams h=500mm edm man/auto muting	423 842 HUF
SG4-RB3-080-OO-W	SG BODY REFLECTOR MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting	294 806 HUF
SG4-RB3L-080-OO-W	SG BODY REFLECTOR MUTING safety type 4 3 beams h=800mm edm man/auto muting active side L	420 168 HUF
SG4-RB3T-080-OO-W	SG BODY REFLECTOR MUTING safety multiple beam type 4 3 beams h=800mm edm man/auto muting	528 539 HUF
SG4-RB4-090-OO-W	SG BODY REFLECTOR MUTING safety multiple beam type 4 4 beams h=900mm edm man/auto muting	321 899 HUF
SG4-RB4-120-OO-W	SG BODY REFLECTOR MUTING safety multiple beam type 4 4 beams h=1200mm edm man/auto muting	352 206 HUF
SG4-RDB2	SG BODY REFLECTOR BASE 2 beams h=500mm passive side	74 850 HUF
SG4-RDB2L	SG BODY REFLECTOR BASE 2 beams h=500mm passive side L arms	153 373 HUF
SG4-RDB2T	SG BODY REFLECTOR BASE 2 beams h=500mm passive side T arms	182 762 HUF
SG4-RDB3	SG BODY REFLECTOR BASE 3 beams h=800mm passive side	104 238 HUF
SG4-RDB3L	SG BODY REFLECTOR BASE 3 beams h=800mm passive side L arms	195 619 HUF
SG4-RDB3T	SG BODY REFLECTOR BASE 3 beams h=800mm passive side T arms	225 008 HUF
SG4-RDB4-090	SG BODY REFLECTOR BASE 4 beams h=900mm passive side	114 341 HUF
SG4-RDB4-120	SG BODY REFLECTOR BASE 4 beams h=1200mm passive side	143 730 HUF
S300-PR-5-F00-OC-M-SG-ST2	S300 rectangular infrared single beam safety sensor type 2 receiver defogging	67 411 HUF
S300-PR-5-F00-OC-M-SG-ST4	S300 rectangular infrared single beam safety sensor type 4 receiver defogging	72 829 HUF
S300-PR-5-F00-OC-SG-ST2	S300 rectangular infrared single beam safety sensor type 2 receiver	54 232 HUF
S300-PR-5-F00-OC-SG-ST4	S300 rectangular infrared single beam safety sensor type 4 receiver	59 650 HUF
S300-PR-5-G00-EX-M-SG-ST2	S300 rectangular infrared single beam safety sensor type 2 emitter defogging	56 665 HUF
S300-PR-5-G00-EX-M-SG-ST4	S300 rectangular infrared single beam safety sensor type 4 emitter defogging	60 936 HUF
S300-PR-5-G00-EX-SG-ST2	S300 rectangular infrared single beam safety sensor type 2 emitter	43 486 HUF
S300-PR-5-G00-EX-SG-ST4	S300 rectangular infrared single beam safety sensor type 4 emitter	47 757 HUF
S5-5-F8-92-SG-ST2	S5 M18 tubular infrared single beam safety sensor type 2 receiver	24 980 HUF
S5-5-F8-92-SG-ST4	S5 M18 tubular infrared single beam safety sensor type 4 receiver	27 185 HUF
S5-5-G8-62-SG-ST2	S5 M18 tubular infrared single beam safety sensor type 2 emitter	18 552 HUF
S5-5-G8-62-SG-ST4	S5 M18 tubular infrared single beam safety sensor type 4 emitter	20 343 HUF
SG-BWS-T4	Safety control unit pl=e auto/man edm	123 846 HUF
SG-BWS-T4-MT	Safety control unit pl=e double muting	272 352 HUF
SL5-5-F-92-SG-ST4	SL5 M18 tubular laser single beam safety sensor type 4 receiver	35 221 HUF
SL5-5-G-82-SG-ST4	SL5 M18 tubular laser single beam safety sensor type 4 emitter	59 512 HUF
ST-K2-SL-C	C-shaped Brackets: 2 pcs kit for SLIM	3 260 HUF
ST-K2-SL-C-OR	C-shaped Orientable Brackets: 2 pcs kit for SLIM	13 684 HUF
ST-K2-SL-L	L-shaped Brackets: 2 pcs kit for SLIM	6 107 HUF
ST-K4AV	Anti vibration supports 4 pcs kit	14 189 HUF
ST-K4FIX	Fixing support 4 pcs kit for SE	7 209 HUF
ST-K4OR	Orientable supports 4 pcs kit	29 894 HUF
ST-K4REAR-SG	Metal rear brackets 4 pcs kit for SG BODY BIG	33 659 HUF
ST-K4ROT	Metal top-bottom rotative brackets 4 pcs kit	19 240 HUF
ST-K4ROT-SG BODY BIG	Metal top-bottom rotative brackets 4 pcs kit for SG BODY BIG	38 435 HUF
ST-K4ROT-SG BODY COMPACT	Metal top-bottom rotative brackets 4 pcs kit for SG BODY COMPACT	48 859 HUF
ST-K4-SL-O	O-shaped Brackets: 4 pcs kit for SLIM	3 077 HUF
ST-K4STD-SG BODY BIG	Metal angled brackets 4 pcs kit for SG BODY BIG	28 838 HUF
ST-K6AV	Anti vibration supports 6 pcs kit	19 792 HUF
ST-K6OR	Orientable supports 6 pcs kit	43 808 HUF
ST-KCASCADE-SG	SG4 EXTENDED cascading connection bracket	11 664 HUF
ST-KP4MP	Plastic angled brackets 4 pcs kit	10 102 HUF

ST-KP6MP	Plastic angled brackets 6 pcs kit	14 878 HUF
ST-KSTD	Metal angled brackets 4 pcs kit	10 240 HUF
SE-S-1000	Column and floor stand h=1000mm	112 045 HUF
SE-S-1200	Column and floor stand h=1200mm	117 188 HUF
SE-S-1500	Column and floor stand h=1500mm	123 341 HUF
SE-S-1800	Column and floor stand h=1800mm	128 989 HUF
SE-S-800	Column and floor stand h=800mm	90 830 HUF
SG-DM-1200	Deviating mirror h=1200mm	80 911 HUF
SG-DM-150	Deviating mirror h=150mm	54 966 HUF
SG-DM-1650	Deviating mirror h=1650mm	96 202 HUF
SG-DM-1900	Deviating mirror h=1900mm	117 509 HUF
SG-DM-600	Deviating mirror h=600mm	68 650 HUF
SG-DM-900	Deviating mirror h=900mm	76 365 HUF
SG-P	Plate kit for protective stands	33 659 HUF
SG-PSB-1000	Protective stand h=1000mm	94 274 HUF
SG-PSB-1200	Protective stand h=1200mm	108 096 HUF
SG-PSB-1650	Protective stand h=1650mm	122 009 HUF
SG-PSB-1900	Protective stand h=1900mm	128 622 HUF
SG-PSB-600	Protective stand h=600mm	83 712 HUF
SG-PSM-2-500	Protective stand with= 2 adjustable mirrors h=500mm	136 520 HUF
SG-PSM-3-800	Protective stand with= 3 adjustable mirrors h=800mm	167 562 HUF
SG-PSM-4-1200	Protective stand with= 4adjustable mirrors h=1200mm	197 686 HUF
SG-PSM-4-900	Protective stand with= 4 adjustable mirrors h=900mm	197 686 HUF
ST-DM	Deviating mirrors SG-DM mounting kit	48 859 HUF
ST-PS4-SG-BODY	Protective stand 4 pcs mounting kit for SG BODY BIG	13 409 HUF
ST-PS4-SG-SE	Protective stand 4 pcs mounting kit for SE/SG	13 317 HUF
ST-PS6-SG-BODY	Protective stand 6 pcs mounting kit for SG BODY BIG	19 332 HUF
ST-PS6-SG-SE	Protective stand 6 pcs mounting kit for SE/SG	19 103 HUF
ST-PS-DM	Deviating mirror mounting kit	17 358 HUF
CSME-03VU24-Y14	Forced guided relay interface 3NO + 1 NC	43 440 HUF
SE-SR2	Safety unit 3NO + 1NC outputs	78 018 HUF
SG4-DONGLE	SG4 EXTENDED Ethernet communication interface	58 364 HUF
SG-SRT-1	Muting connection box with forcibly guided relays 2NO start pushbutton override key selector	113 790 HUF
SG-SRT-2	Muting connection box with forcibly guided relays 2NO start pushbutton override key selector muting lan	116 178 HUF
SG-IP69K-150	IP69K protection tubes h=150mm	217 936 HUF
SG-IP69K-300	IP69K protection tubes h=300mm	224 044 HUF
SG-IP69K-450	IP69K protection tubes h=450mm	230 656 HUF
SG-IP69K-600	IP69K protection tubes h=600mm	237 223 HUF
SG-IP69K-750	IP69K protection tubes h=750mm	244 294 HUF
SG-IP69K-900	IP69K protection tubes h=900mm	250 402 HUF
SG-IP69K-1050	IP69K protection tubes h=1050mm	257 014 HUF
SG-IP69K-1200	IP69K protection tubes h=1200mm	264 040 HUF
SG-IP69K-1350	IP69K protection tubes h=1350mm	270 193 HUF
SG-IP69K-1500	IP69K protection tubes h=1500mm	276 760 HUF
SG-IP69K-1650	IP69K protection tubes h=1650mm	283 372 HUF
SG-IP69K-1800	IP69K protection tubes h=1800mm	290 398 HUF
SG-IP69K-2-050	IP69K protection tubes h=500mm	232 034 HUF
SG-IP69K-3-080	IP69K protection tubes h=800mm	246 636 HUF
SG-IP69K-4-090	IP69K protection tubes h=900mm	250 861 HUF
SG-IP69K-4-120	IP69K protection tubes h=1200mm	264 040 HUF
SG-LS150	Lens shield h=150mm	37 195 HUF
SG-LS300	Lens shield h=300mm	40 042 HUF
SG-LS450	Lens shield h=450mm	44 496 HUF
SG-LS600	Lens shield h=600mm	48 905 HUF
SG-LS750	Lens shield h=750mm	51 890 HUF
SG-LS900	Lens shield h=900mm	54 874 HUF
SG-LS1050	Lens shield h=1050mm	60 798 HUF
SG-LS1200	Lens shield h=1200mm	77 100 HUF
SG-LS1350	Lens shield h=1350mm	80 039 HUF
SG-LS1500	Lens shield h=1500mm	84 539 HUF
SG-LS1650	Lens shield h=1650mm	88 947 HUF
SG-LS1800	Lens shield h=1800mm	93 401 HUF
SG-LS-2-050	Lens shield h=500mm	45 277 HUF
SG-LS-3-080	Lens shield h=800mm	53 221 HUF
SG-LS-4-090	Lens shield h=900mm	56 022 HUF
SG-LS-4-120	Lens shield h=1200mm	75 584 HUF
SG-LP	Laser pointer	108 279 HUF
TP-14	Test piece Ø 14mm	9 414 HUF
TP-20	Test piece Ø 20mm	9 414 HUF
TP-24	Test piece Ø 24mm	9 414 HUF
TP-30	Test piece Ø 30mm	9 414 HUF
TP-34	Test piece Ø 34mm	9 414 HUF
TP-35	Test piece Ø 35mm	9 414 HUF
TP-40	Test piece Ø 40mm	9 414 HUF
SG-ML-S100-200-L	Kit for L Muting, left side; 2 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors	134 178 HUF
SG-ML-S100-200-R	Kit for L Muting, right side; 2 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors	134 178 HUF

SG-ML-S100-L	Kit for L Muting, left side; 2 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors	132 479 HUF
SG-ML-S100-R	Kit for L Muting, right side; 2 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors	132 479 HUF
SG-ML-S8-200-L	Kit for L Muting, left side; 2 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors	158 745 HUF
SG-ML-S8-200-R	Kit for L Muting, right side; 2 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors	158 745 HUF
SG-ML-S8-L	Kit for L Muting, left side; 2 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors	157 276 HUF
SG-ML-S8-R	Kit for L Muting, right side; 2 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors	157 276 HUF
SG-MT-S100	Kit for T Muting; 4 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors	254 029 HUF
SG-MT-S100-200	Kit for T Muting; 4 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors	257 014 HUF
SG-MT-S8	Kit for T Muting; 4 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors	304 679 HUF
SG-MT-S8-200	Kit for T Muting; 4 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors	307 434 HUF
SG-MX-S100	Kit for X Muting; 2 sensors S100-PR-5-B10-PK; cables = 700mm with M12 connectors	193 920 HUF
SG-MX-S100-200	Kit for X Muting; 2 sensors S100-PR-5-B10-PK; cables = 2000mm with M12 connectors	194 976 HUF
SG-MX-S8	Kit for X Muting; 2 sensors S8-PR-5-B01-PP; cables = 700mm with M12 connectors	222 345 HUF
SG-MX-S8-200	Kit for X Muting; 2 sensors S8-PR-5-B01-PP; cables = 2000mm with M12 connectors	223 217 HUF
SG-M-CB	SG-M Connection Box, for up to 4 sensors; M12 F connectors, 400mm pigtail with M12 F	44 772 HUF
SG-M-CB-KIT	SG-M Connection Box mounting kit	10 562 HUF
SG-M-ARM	SG-M single arm	44 818 HUF
SG-M BRACKET	SG-M Muting Kit single bracket, for S8 or S100 sensors, or reflector	14 648 HUF
CS-M1-02-B-004	Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 400mm	6 061 HUF
CS-M1-02-B-007	Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 700mm	6 337 HUF
CS-M1-02-B-02	Cable 4 poles, unshielded, black, M8 F straight, M12 M straight, 2000mm	6 888 HUF
SG-AS-ARM V2	Integrated muting arm active sensor ver.2	120 448 HUF
SG-CB-B	Integrated muting arms mounting bracket kit for SG BODY BIG	23 236 HUF
SG-CB-C	Integrated muting arms mounting bracket kit for SG BODY COMPACT	15 705 HUF
SG-F1-G1-ARM	Integrated Emitter/Receiver muting arms first couple	240 483 HUF
SG-F2-G2-ARM	Integrated Emitter/Receiver muting arms second couple	240 483 HUF
SG-L-ARMS V2	Integrated retroreflective muting arms for L muting ver.2	212 518 HUF
SG-PR-ARM V2	Integrated muting arm passive reflector ver.2	58 318 HUF
SG-T-ARMS V2	Integrated retroreflective muting arms for T muting ver.2	378 335 HUF
LMS	Muting lamp	14 281 HUF
LMS-1	Modular muting lamp	24 154 HUF
LMS-2	Muting lamp horizontal fixing	23 695 HUF
LMS-3	Muting lamp vertical fixing	28 930 HUF
SU-LMS-1A	Basic support for LMS-1	28 930 HUF
SU-LMS-1B	Tower support for LMS-1	39 491 HUF
CS-G1-60-B-002	SE-SG CABLE 0,2M	13 317 HUF
CS-R1-40-B-0015	REFL. 12to8 POLE ADAPTOR	12 169 HUF
CV-A1-21-G-10	M12 3-p CABLE 10m (cv-14)	9 551 HUF
CV-A1-22-B-03	SE 4pin CABLE 3m	5 786 HUF
CV-A1-22-B-05	SE 4pin CABLE 5m	6 612 HUF
CV-A1-22-B-10	SE 4pin CABLE 10m	11 618 HUF
CV-A1-22-B-15	SE 4pin CABLE 15m	17 817 HUF
CV-A1-22-B-25	SE 4pin CABLE 25m	25 623 HUF
CV-A1-23-B-005-2F	SE 5pin CABLE 0,5m	7 164 HUF
CV-A1-23-B-01-2F	SE 5pin CABLE 1m	7 577 HUF
CV-A1-26-B-03	SE 8pin CABLE 3m	10 653 HUF
CV-A1-26-B-05	SE 8pin CABLE 5m	13 960 HUF
CV-A1-26-B-10	SE 8pin CABLE 10m	17 817 HUF
CV-A1-26-B-15	SE 8pin CABLE 15m	25 991 HUF
CV-A1-26-B-25	SE 8pin CABLE 25m	38 022 HUF
CV-A2-22-B-03	SE 4pin 90° CABLE 3m	11 480 HUF
CV-A2-22-B-05	SE 4pin 90° CABLE 5m BLACK	14 465 HUF
CV-A2-22-B-10	SE 4pin 90° CABLE 10m	21 536 HUF
CV-A2-26-B-03	SE 8pin 90° CABLE 3m	21 261 HUF
CV-A2-26-B-05	SE 8pin 90° CABLE 5m BLACK	25 210 HUF
CV-A2-26-B-10	SE 8pin 90° CABLE 10m	35 726 HUF
CV-L1-02-B-007	M12 4-pole L Muting cable	5 970 HUF
CV-Y1-02-B-007	M12 4-pole T Muting cable	13 960 HUF
CV-Y2-02-G-0007	M12 4p EXT MUTING DRIVER	19 378 HUF
CV-Y3-36-B-002	SE BODY CROSSOVER 0,2m	15 705 HUF
SG-C	SG-C 18-POLE CONNECTOR TAPS	3 765 HUF
CS-F1-80-B-0005SG	SG EXTENDED Cascade cable 0.05m	7 990 HUF
CS-F1-80-B-005	SG EXTENDED Cascade cable 0.5m	8 495 HUF
CS-F1-80-B-01	SG EXTENDED Cascade cable 1m	8 954 HUF
CS-H1-03-B-001	SLIM Cascade cable 0.1m	12 949 HUF
CS-H1-03-B-005	SLIM Cascade cable 0.5m	16 669 HUF
CS-H1-03-B-01	SLIM Cascade cable 1m	18 001 HUF
CS-G1-50-B-002	SG EXTENDED TX 0,2m	7 072 HUF
CS-G1-70-B-002	SG EXTENDED BLANK RX 0.2m	9 414 HUF
CS-R1-75-B-002	SG EXTENDED MUTING RX 0.2	12 720 HUF